Author Index to Volume 17

Abdulnur, S. F.: See Flurry, Jr., R. L.
Accad, Y.: See Miller, I. R.
Akaike, T.: See Nakata, Y.
Akasaka, K.: See Yamada, A.
Aktipis, S.: See Kindelis, A.
Ananthanarayanan, V. S.: See Brahmachari, S. K.
Anderson, J. M.: See Deshmane, S.
——: See Sederel, W.
Ando, R.: See Shinkai, S.
Andre, J. J.: See Weill, G.
Andrew, E. R., Gaspar, Jr., R., and Vennart, W.: Proton Magnetic Relaxation in Solid Poly(L-Alanine), Poly(L-Leucine), Poly(L-Valine), and Polyglycine, 1913
Anselmi, U.: See Filippi, B.
Anusiem, A. C. I. and Kelleher, M.: Spin Contribution to the Thermodynamics of Ligand Binding to Methemoglobins and Metmyoglobins. I. Azide Ion Binding to Horse-Heart Myoglobin, 2047
Asai, H.: See Nishira, H.
Aubry, A., Protas, J., Boussard, G., Marraud, M., and Neel, J.: Experimental Conformational Study of Two Peptides Containing α-Aminoisobutyric Acid. Crystal Structure of N-Acetyl-α-Aminoisobutyric Acid Methylamide, 1693
——: See Cung, M. T.
Aubuchon, J. R.: See Momany, F. A.
Auer, H. E., Pawlowski-Konopnicki, B. E., Chen Chiao, Y.-C., and Krugh, T. R.: Resolution of Electronic Adsorption Bands and Nucleotide Binding Processes in Actinomycin D, 1891

Baker, B. M., Vanderkooi, J., and Kallenbach, N. R.: Base Stacking in a Fluorescent Dinucleoside Monophosphate: ɛApɛA, 1361
Baldwin, R. L.: See Tsong, T. Y.
Baran, G. J. and Bloomfield, V. A.: Tail-Fiber Attachment in Bacteriophage T4D Studied by Quasielastic Light Scattering-Band Electrophoresis, 2015
Barbet, J.: See Butour, J. L.
Baret, J. F., Carbone, G. P., and Penon, P.: Infrared Dichroism of Polynucleotides of Repeated Sequence. I. Poly(dA)-Poly(dT) and Poly(d(A-T))-Poly(d(A-T)), 2319
Baron, M. H., de Loze, C., Toniolo, C., and Fasman, G. D.: Structure in Solution of Protected Homo-Oligopeptides of L-Valine, L-Isoleucine, and L-Phenylalanine: An Infrared Absorption Study, 2225
Barrett, T. W.: Linear Dichroism and Radical Flow Birefringence of Stream-Oriented Hyaluronate Solutions as a Function of System pH, 1567
Battersby, S. J.: See Tong, B. Y.
Becker, J. M. and Naider, F.: The Effect of Homologous Amino Acid Replacement on the Conformation of Oligopeptides. I. Synthesis of Co-Oligopeptides Containing Methionine and Valine, 2189
——: See Champi, J.
——: See Naider, F.
Bendit, E. G. and Gillespie, J. M.: The Probable Role and Location of High-Glycine-Tyrosine Proteins in the Structure of Keratins, 2743
Benjamins, J.: See De Feijter, J. A.
Benvegnu', C.: See Palumbo, M.
Bersohn, R.: See Chao, Y-Y. H.
Bhat, G., Roth, A. C., and Day, R. A.: Extrinsic Cotton Effect and Helix-Coil Transition in a DNA-Polycation Complex, 815 (Erratum)
Bhatnagar, R. S.: See Brahmachari, S. K.
Bilofsky, H.: See Wu, T. T.
Biltonen, R. L.: See Freire, E.
——: See Sturgill, T. W.
Blagoi, Yu. P., Sorokin, V. A., Valeyev, V. A., Khomenko, S. A., and Glaschenko, G. O.: Magnesium Ion Effect on the Helix-Coil Transition of DNA, 1103
Bláha, K.: See Votovová, H.
Bleich, H. E. and Glasel, J. A.: Rotating Frame Spin-Lattice Relaxation Experiments and the Problem of Intramolecular Motions of Peptides in Solution, 2445
Blok, J.: See Boontje, W.
Blomberg, C.: See von Heijne, G.
Bloomfield, V. A.: See Baran, G. J.
——: See Garcia de la Torre
——: See Riemer, S. C.
——: See Welch, III, J. B.
——: See Niu, C.-H.
Blout, E. R.: See Boni, R.
——: See Meraldi, J.-P.
——: See Niu, C.-H.
Boni, R., Verdini, A. S., Deber, C. M., and Blout, E. R.: Synthesis and Circular Dichroism Characterization of L-Azetidine-2-Carboxylic Acid Cyclic Peptides, 2385
——: See Meraldi, J.-P.
Bonora, G. M.: See Jones, D.
——: See Toniolo, C.
Boontje, W., Greve, J., and Blok, J.: Transient Electric Birefringence of T-Even Bacterio-

phages. IV. T2LO and T6 with Extended Tail Fibers, 2689
Bopp, Jr., J. M.: See Flurry, Jr., R. L.
Borin, G.: See Filippi, B.
Boskamp, J. V.: See van Kleef, F. S. M.
Boussard, G.: See Aubry, A.
Bradford, Jr., R. H.: See Fung, B. M.
Brahmachari, S. K., Ananathanarayanan, V. S., Rapaka, R. S., and Bhatnagar, R. S.: Polypeptide Models of Collagen. II. Solution Properties of (Pro-Gly-Phe)$_n$, 2097
Brahms, J.: See Chinsky, L.
Brant, D. A.: See Jordan, R. C.
Breen, D. L.: See Ornstein, R. L.
Breese, K.: See Bull, H. B.
Brehamet, L.: See Marck, C.
Briehl, R. W.: See Ross, P. D.
Brisse, F.: See Pérez, S.
Brown, S. E.: See Gruenwedel, D. W.
Broyde, S., Wartell, R. M., Stellman, S. D., and Hingerty, B.: Minimum Energy Conformations of DNA Dimeric Subunits: Potential Energy Calculations for dGpdC, dApdA, dCpdC, dGpdG, and dTpdT, 1485
Bryan, W. P.: See Rao, P. B.
Bull, H. B. and Breese, K.: Interaction of Alcohols with Proteins, 2121
——, ——, and Swenson, C. A.: Solubilities of Amino Acids, 1091
Burchard, W.: See Wolf, Ch.
Butour, J. L., Delain, E., Coulaud, D., le Pecq, J. B., Barbet, J., and Roques, B. P.: Measurement of the Expected DNA Lengthening Caused by Mono- and Bisintercalating Drugs Using Electron Microscopy, 873

Caille, A.: See Mayer, R.
Camerini-Otero, R. D. and Day, L. A.: The Wavelength Dependence of the Turbidity of Solutions of Macromolecules, 2241
Cantraine, F. R. L.: See Delcroix, C.
Carbone, G. P.: See Baret, J. F.
Cesàro, A.: See Jordan, R. C.
Chakrabarti, B.: See Figueroa, N.
——: See Park, J. W.
Champi, J., Steinfeld, A. S., Naider, F., and Becker, J. M.: The Effect of Homologous Amino A Acid Replacement on the Conformation of Oligopeptides. II. Synthesis of Co-Oligopeptides Containing Methionine and Glycine, 2199
Chao, Y-Y. H. and Bersohn, R.: ^{13}C- and ^{1}H-NMR Studies of *cis-trans* Conformers of Oligoprolines, 2761
Charney, E. and Milstien, J. B.: Electric Dichroism of Poly(riboadenylic Acid), 1629
Chen Chiao, Y.-C.: See Auer, H. E.
Chinsky, L., Turpin, P. Y., Duquesne, M., and Brahms, J.: Nucleic Acid Derivatives Studied by Preresonance and Resonance Raman Spectroscopy in the Ultraviolet Region, 1347
Chipev, C. C. and Staynov, D. Z.: Helix-Coil Transitions in Nucleoprotein: Computer-Generated Curves for Independent Melting of Double-Stranded Regions with Fixed Ends, 957
Chu, B.: See Patkowski, A.
——: See Tsunashima, Y.
Chumpitazi-Hermoza, B. F., Gagnaire, D., et Taravel, F. R.: Biosynthèse de Cellulose Bactérienne à Partir de Glycérol Séléctivement Deutérié en Position 1,2, ou 3: Etude par Résonance Magnétique Nucléaire, 2361
Ciardelli, F.: See Houben, J. L.
Clark, D. S., Dechter, J. J., and Mandelkern, L.: Heat Precipitation of Poly(γ-Hydroxy-L-Proline), 1381
Clauwaert, J.: See Nieuwenhuysen, P.
Cleland, R. L.: See Kitchen, R. G.
Clementi, E.: See Matsuoka, O.
——: See Tosi, C.
Coleman, M. M.: See Painter, P. C.
Cosani, A., Palumbo, M., Terbojevich, M., and Peggion, E.: N-Methyl Poly(α-Amino Acids). Synthesis and Preliminary Conformational Analysis of Poly(N-Methyl-γ-Methyl-L-Glutamate), 2519
——: See Palumbo, M.
Coulaud, D.: See Butour, J. L.
Craig, A. S.: See Parry, D. A. D.
Craig, B. B.: See Odom, O. W.
Creutz, C. E.: Maximum Number and Lengths of Palindromes in Messenger RNAs, 1815
Cung, M. T., Marraud, M., Neel, J., and Aubry, A.: Experimental Study on Aggregation of Model Dipeptide Molecules. V. Stereoselective Association of Leucine Dipeptides, 1149

Danyluk, S. S.: See Tewari, R.
Day L. A.: See Camerini-Otero, R. D.
Day, R. A.: See Bhat, G.
Deber, C. M.: Role of the C-Terminal Carboxylate in Peptide Bond Isomerism, 247
——: See Boni, R.
Dechter, J. J.: See Clark, D. S.
de Feijter, J. A., Benjamins, J., and Veer, F. A.: Ellipsometry as a Tool to Study the Adsorp-

tion Behavior of Synthetic and Biopolymers at the Air–Water Interface, 1759
Delain, E.: See Butour, J. L.
Delcroix, C., Cantraine, F. R. L., and Hardt, N.: Mathematical Method for Determining the Distribution of Substituted DNA Zone Lengths with Reference to Equilibrium Density Profiles, 2865
DeLisi, C.: Characterization of Receptor Affinity Heterogeneity by Scatchard Plots, 1385
——: See Thakur, A. K.
de Loze, C.: See Baron, M. H.
Del Pra, A.: See Spadon, P.
DeMarco, A., Llinás, M., and Wüthrich, K.: Analysis of the ^{1}H-NMR Spectra of Ferrichrome Peptides. I. The Non-Amide Resonances, 617
——, ——, and ——: Analysis of the ^{1}H-NMR Spectra of Ferrichrome Peptides. II. The Amide Resonances, 637
——, ——, and ——: ^{1}H-^{15}N Spin-Spin Couplings in Alumichrome, 2727
Dentini, M., Perretti, G., Savino, M., DeSantis, P., and Verdini, A. S.: Conformational Studies on the Pyridoxal Schiff Bases of Polypeptides, 909
de Paulet, A. C.: See Gabriel, M.
DeSantis, P.: See Dentini, M.
Deshmane, S., Hayashi, T., Sederel, W., and Anderson, J. M.: The Influence of Interchain Compositional Heterogeneity on the Conformation in Random Copolymers of γ-Benzyl-L-Glutamate and L-Valine, 2851
——: See Sederel, W.
Distefano, G.: See Jones, D.
Dreux, M.: See Ptak, M.
Duquesne, M.: See Chinsky, L.
Dutton, G. G. S.: See Wolf, Ch.

Elsasser-Beile, U.: See Wolf, Ch.
Elson, E. L.: See Magde, D.
Engle, R. G.: See Russo, S. F.
Englert, A.: See Leclerc, M.
Escoubes, M.: See Pineri, M. H.
Esipova, N. G.: See Lazarev, Yu. A.

Fasman, G. D., Itoh, K., Liu, C. S., and Lord, R. C.: Laser-Raman Spectroscopy of Biomolecules. XI. Conformational Study of Poly-(L-Valine) and Copolymers of L-Valine and L-Alanine, 125
——, ——, ——, and ——: Laser-Excited Raman Spectroscopy of Biomolecules. XII. Thermally Induced Conformational Changes on Poly(L-Glutamic Acid), 1729
——: See Baron, M. H.
Faulstich, H.: See Tonelli, A. E.
Fehrle, M.: See Hull, W. E.
Fenton, M. and Hiltner, A.: Interaction of Water with Poly-α-Amino Acids. II. Relationships Between Counter-Ion and Relaxation Processes, 2309
Fidy, J.: See Raksanyi, K.
Figueroa, N. and Chakrabarti, B.: Circular Dichroism Studies of Copper(II)-Hyaluronic Acid Complex in Relation to Conformation of the Polymer, 2415
Filippi, B., Borin, G., Anselmi, U., and Marchiori, F.: Conformational Properties of the N-Terminal Residues of S-Peptide. I. The Ribonuclease S′ System, 2525
——, ——, Moretto, V., and ——: Conformational Properties of the N-Terminal Residues of S-Peptide. II. The Guanidine Hydrochloride-Water-Trifluoroethanol System, 2545
Finogenova, M. P.: See Lazarev, Yu. A.
Fissi, A.: See Houben, J. L.
Fletcher, G. C.: See Thomas, J. C.
Fletcher, T.: See Goren, H. J.
Flurry, Jr., R. L., Abdulnur, S. F., and Bopp, Jr., J. M.: Studies of the Thyrotropin-Releasing Factor. II. Conformations of TRF and Some Analogs, 2679
Foldvari, I.: See Raksanyi, K.
Freire, E. and Biltonen, R. L.: Statistical Mechanical Deconvolution of Thermal Transitions in Macromolecules. I. Theory and Application to Homogeneous Systems, 436
—— and ——: Statistical Mechanical Deconvolution of Thermal Transitions in Macromolecules. II. General Treatment of Cooperative Phenomena, 481
—— and ——: Statistical Mechanical Deconvolution of Thermal Transitions in Macromolecules. III. Application to Double-Stranded to Single-Stranded Transitions of Nucleic Acids, 497
—— and ——: Thermodynamics of Transfer Ribonucleic Acids: The Effect of Sodium on the Thermal Unfolding of Yeast tRNA^{Phe}, 1257
Fridkin, M.: See Goren, H. J.
Fujita, N.: See Sharp, D. S.
Fuller, W. D., Verlander, M. S., and Goodman, M.: DOPA-Containing Polypeptides. I. Improved Synthesis of High-Molecular-Weight Poly(L-DOPA) and Water-Soluble Copolypeptides, 2939
Fung, B. M., Hillson, R. A., Lee, G. G., Nunnery,

A. W., and Bradford, Jr., R. H.: Interaction Between Collagen and Adenosine-5′-Triphosphate, 2289 (Erratum)
Gabriel, M., Larcher, D., Thirion, C., Torreilles, J., and de Paulet, A. C.: Self-Association Phenomenon Specific to the Copper Complexes with ADP, dADP, and IDP, 1423
Gagnaire, D.: See Chumpitazi-Hermoza, B. F.
Galione, M.: See Karwowski, G.
Galyean, R.: See River, J.
Garcia de la Torre, J. and Bloomfield, V. A.: Hydrodynamic Properties of Macromolecular Complexes. IV. Intrinsic Viscosity Theory, with Applications to Once-Broken Rods and Multisubunit Proteins, 1605
Garnier, A. and Tosi, L.: Conformational Studies of the Copolymer Poly(L-lysine, L-tyrosine) 1:1 in Aqueous Solution, 199
Gaspar, Jr., R.: See Andrew, E. R.
Gauduchon, P.: See Mayer, R.
Gillespie, J. M.: See Bendit, E. G.
Gladchenko, G. O.: See Blagoi, Yu. P.
Glasel, J. A.: See Bleich, H. E.
Gō, N.: Shape of the Conformational Energy Surface near the Global Minimum and Low-Frequency Vibrations in the Native Conformation of Globular Proteins, 1373
——: See Ueda, Y.
Goodman, M.: See Fuller, W. D.
——: See Naider, F.
——: See St. Pierre, S.
Goren, H. J., Fletcher, T., Fridkin, M., and Katchalski-Katzir, E.: Poly(1-Histidyl-L-Alanyl-α-L-Glutamic Acid). II. Catalysis of *p*-Nitrophenyl Acetate Hydrolysis, 1679
Gosline, J. M.: Hydrophobic Interaction and a Model for the Elasticity of Elastin, 677
——: The Temperature-Dependent Swelling of Elastin, 697
Gray, D. M., Hamilton, F. D., and Vaughan, M. R.: The Analysis of Circular Dichroism Spectra of Natural DNAs Using Spectral Components from Synthetic DNAs, 85
——, Lee, C. S., and Skinner, D. M.: First-Neighbor Frequencies of Satellite DNAs from *Drosophila naustoides* and *Pagurus pollicaris* from an Analysis of their Circular Dichroism Spectra, 107
——, Taylor, T. N., and Lang, D.: Dehydrated Circular DNA: Circular Dichroism of Molecules in Ethanolic Solutions, 145
Grechishko, V. S.: See Lazarev, Yu. A.
Greve, J.: See Boontje, W.
Griffith, J. D.: Ligation of Nickled SV40 DNA in a Polyethylene Glycol-Condensed State as a Test for Net Coiling, 237
Grishkovski, B. A.: See Lazarev, Yu. A.
Gruenwedel, D. W. and Brown, S. E.: Sedimentation and Viscosity of Bacteriophage T_7 DNA in Presence of CH_3HgOH, 605

Haas, E., Katchalski-Katzir, E., and Steinberg, I. Z.: Brownian Motion of the Ends of Oligopeptide Chains in Solution as Estimated by Energy Transfer Between the Chain Ends, 11
Hamilton, F. D.: See Gray, D. M.
Hamori, E.: See Hirai, T.
Harada, I.: See Sugawara, Y.
Hardesty, B. A.: See Odom, O. W.
Hardt, N.: See Delcroix, C.
Harrington, R. E.: Opticohydrodynamic Properties of High-Molecular-Weight DNA. III. The Effects of NaCl Concentration, 919
Hasegawa, E., Kanayama, T., and Tsuchida, E.: Adsorption of Molecular Oxygen by Polymer Covalently Bonded Co(II) Porphyrin Complex in Toluene, 615
Hashimoto, Y., Imanishi, Y., and Higashimura, T: Solvent Effect in the Stereoselective Polymerization of α-Amino Acid *N*-Carboxyanhydride and Some Considerations on the Mechanism of Stereoregulation, 2561
Hata, S.: See Nishide, H.
Hatano, H.: See Yamada, A.
Hayakawa, R.: See Sakamoto, M.
Hayashi, T.: See Deshmane, S.
——: See Sederel, W.
Heidemann, E.: See Syagin, Oe.
Heitz, A.: See Ptak, M.
Herrmann, M. S., Richardson, C. E., Setzler, M. L., Behnke, W. D., and Thompson, R. E.: A Circular Dichroic Investigation of the Secondary Structure of Lectins, 2107
Higashimura, T.: See Hashimoto, Y.
Hillson, R. A.: See Fung, B. M.
Hiltner, A.: See Fenton, M.
Hingerty, B.: See Broyde, S.
Hirai, T. and Hamori, E.: Comparison of the Helix-Coil Conformational Changes of Poly(Deoxyguanylate-Deoxycytidylate) and Poly(Deoxyadenylate-Deoxythymidylate) Induced by Variations of Hydrogen-Ion Concentration, 2633
Hirano, S., Mizutani, C., Yamaguchi, R., and Miura, O.: Formation of the Polyelectrolyte Complexes of some Acidic Glycosaminoglycans with Partially N-Acylated Chitosans, 805

Houben, J. L., Pieroni, O., Fissi, A., and Ciardelli, F.: Optical Activity and Photochromism of the Azo Chromophore Bound to Poly(L-Glutamic Acid), 799
Hull, W. E., Kricheldorf, H. R., and Fehrle, M.: ^{15}N-NMR Spectroscopy. IV. Comparison of Poly(L-Lysine) and Isopoly(L-Lysine), 2427
Hurst, R. E.: Thermodynamics of the Partition of Chondroitin Sulfate-Hexadecylpyridinium Complexes in Butanol/Aqueous Salt Biphasic Solutions, 2601

Ichimura, S., Mita, K., and Zama, M.: Conformation of Poly (L-Arginine). I. Effects of Anions, 2769
——: See Mita, K.
Ifft, J. B.: See Sharp, D. S.
Imanishi, Y.: See Hashimoto, Y.
Inagaki, F., Tasumi, M., and Miyazawa, T.: Structures and Populations of Conformers of Nucleoside Monophosphates in Aqueous Solution. I. General Methods of Conformation Search with Lanthanide-Ion Probes and Spin-Coupling Constants and Application to Uridine-5′-Monophosphate, 267
Ingwall, R. T.: See St. Pierre, S.
Inoue, S.: See Nakata, Y.
Itoh, K.: See Fasman, G. D.
Ivanov, V. I.: See Zhurkin, V. B.

Jen, S.: See Patkowski, A.
Jernigan, R. L.: See Wu, T. T.
Johnson, Jr., C. S.: See Jones, C. R.
Johnson, N. P. and Switkes, E.: Empirical Calculations of Dinucleotide Optical Activity, 857
Johnson, P.: See McIntosh, R. P.
Johnson, R. E.: See Sturgill, T. W.
Johnson, Jr., W. C.: See Lewis, D. G.
Jones, C. R., Johnson, Jr., C. S., and Penniston, J. T.: Photon Correlation Spectroscopy of Hemoglobin: Diffusion of Oxy-HbA and Oxy-HbS, 1581
Jones, D., Distefano, G., Toniolo, C., and Bonora, G. M.: A New Method for Determining Sulfoxides in Peptide Molecules Using X-Ray Photoelectron Spectroscopy, 2703
Jordan, R. C. and Brant, D. A.: An Investigation of Pectin and Pectic Acid in Dilute Aqueous Solution, 2885
——, ——, and Cesàro, A.: A Monte Carlo Study of the Amylosic Chain Conformation, 2617

Kabat, E. A.: See Wu, T. T.
Kaiser, R.: See River, J.
Kallenbach, N. R.: See Baker, B. M.
Kamata, T.: See Kodama, M.
Kanayama, T.: See Hasegawa, E.
Karwoski, G., Galione, M., and Starcher, B.: Lysinonorleucine Cross-Link Formation in Alpha Amino Heptenoic Acid-Substituted Peptide Derivatives, 1119
Katchalski-Katzir, E.: See Goren, H. J.
——: See Haas, E.
Kawai, M. and Nagai, U.: Comparison of Conformation and Antimicrobial Activity of Synthetic Analogs of Gramicidin S: Stereochemical Consideration of the Role of D-Phenylalanine in the Antibiotic, 1549
Kelleher, M.: See Anusiem, A. C. I.
Khomenko, S. A.: See Blagoi, Yu. P.
Kindelis, A. and Aktipis, S.: Differences in Circular Dichroism and Fluorescence Between the DNA Complexes Formed with 3-Amino- and 3,8-Diaminophenanthridinium Derivatives, 1469
Kinzie, K.: See Sharp, D. S.
Kistenmacher, T. J., Rossi, M., and Marzilli, L. G.: A Model for the Interrelationship Between Asymmetric Interbase Hydrogen Bonding and Base–Base Stacking in Hemiprotonated Polyribocytidylic Acid: Crystal Structure of 1-Methylcytosine Hemihydroiodide Hemihydrate, 2581
Kitchen, R. G. and Cleland, R. L.: Dilute Solution Properties of Proteoglycan Fractions from Bovine Nasal Cartilage, 759
Kittler, L.: See Raksanyi, K.
Klotz, I. M.: See Spetnagel, W. J.
Klump, H.: See Savoie, R.
——: See Saygin, Oe.
Kobayashi, J. and Nagai, U.: A Solvent Effect on the Side-Chain Conformation of Phenylalanine Residues in Dipeptides, 2265
Kodama, M., Noda, H., and Kamata, T.: Conformation of Amylose in Water. I. Light-Scattering and Sedimentation-Equilibrium Measurements, 985
——: See Saitô, H.
Kricheldorf, H. R.: See Hull, W. E.
Krugh, T. R.: See Auer, H. E.
Kulik, I. O.: See Shkorbatov, A. G.
Kunitake, T.: See Shinkai, S.

Lang, D.: See Gray, D. M.
Lapanje, S.: See Vlachy, V.
Larcher, D.: See Gabriel, M.
Lazarev, Yu. A., Lazareva, A. V., Shibnev, V. A., and Esipova, N. G.: Infrared Spectra and

Structure of Synthetic Polytripeptides, 1197
——, Lobachov, V. M., Grishkovski, B. A., Shibnev, V. A., Grechishko, V. S., Finogenova, M. P., Esipova, N. G., and Rogulenkova, V. N.: Formation of the Collagen-Like Triple-Helical Structure in Oligopeptides During Elongation of the Molecular Chain, 1215
Lazareva, A. V.: See Lazarev, Yu. A.
Le Bret, M.: Relationship Between the Energy of Superhelix Formation, the Shear Modulus, and the Torsional Brownian Motion of DNA, 1939
LeBreton, P. R.: See Padva, A.
Leclerc, M., Prémilat, S., and Englert, A.: Nonradiative Energy Transfer in Oligopeptide Chains Generated by a Monte-Carlo Method Including Long-Range Interactions, 2459
Lee, C. S.: See Gray, D. M.
Lee, G. G.: See Fung, B. M.
Lee, W. I.: See Lin, S.-C.
le Pecq, J. B.: See Butour, J. L.
Lewis, D. G. and Johnson, Jr., W. C.: Optical Properties of Sugars. VI. Circular Dichroism of Amylose and Glucose Oligomers, 1439
Liberti, P. A. and Vickerman, C. E.: Molecular-Weight Dispersion and Variation in Incremental Composition of $(Glu^{60}Ala^{30}Tyr^{10})_n$, 527
Lin, J.: See Padva, A.
Lin, S.-C., Lee, W. I., and Schurr, J. M.: Brownian Motion of Highly Charged Poly(L-lysine), Effects of Salt and Polyion Concentration, 1041
—— and Schurr, J. M.: Dynamic Light-Scattering Studies of Internal Motions in DNA. I. Applicability of the Rouse-Zimm Model, 425
Lindemann, R. and Zundel, G.: Proton Transfer in and Polarizability of Hydrogen Bonds Coupled with Conformational Changes in Proteins. II. IR Investigation of Polyhistidine with Various Carboxylic Acids, 1285
Liu, C. S.: See Fasman, G. D.
Llinás, M.: See DeMarco, A.
Lobachov, V. M.: See Lazarev, Yu. A.
Lohman, T. M.: See Record, Jr., M. T.
Lord, R. C.: See Fasman, G. D.
Loucheux, C.: See Morcellet, M.
Lui, T. Y.: See Tsunashima, Y.
Luisi, P. L.: See Pellegrini, A.
——: See Wiget, P.
Lysov, Yu. P.: See Zhurkin, V. B.
Lyubchenko, Yu. L.: See Pavlov, V. M.

Macelroy, R. D.: See Ornstein, R. L.
Madison, V.: Conformational Calculations for Oligopeptides. A Cyclic Dodecapeptide, 1601
——: See Niu, C.-H.
Maekawa, A.: See Nishioka, N.
Magde, D., Webb, W. W., and Elson, E. L.: Fluorescence Correlation Spectroscopy. III. Uniform Translation and Laminar Flow, 361
Malcolm, G. N.: See Sharman, W. R.
Mandelkern, L.: See Clark, D. S.
Marchiori, F.: See Filippi, B.
Marck, C., Schneider, C., and Brehamet, L.: Vectorical Interpretation of Spectra for the Study of Associations, 1065
Marraud, M.: See Aubry, A.
——: See Cung, M. T.
Marzilli, L. G.: See Kistenmacher, T. J.
Masujima, M.: See Yamaoka, K.
Matsuoka, O., Tosi, C., and Clementi, E.: Conformational Studies on Polynucleotide Chains. I. Hartree-Fock Energies and Description of Nonbonded Interactions with Lennard-Jones Potentials, 33
——: See Tosi, C.
Matsuura, H.: See Sugawara, Y.
Mayer, R., Caille, A., and Spach, G.: Block Oligopeptides $(L\text{-Lysyl})_m$-$(L\text{-Alanyl})_n$-L-Tyrosyl-$(L\text{-Alanyl})_n$-$(L\text{-Lysyl})_m$. I. Synthesis through Fragment Condensation and Characterization, 325
——, Gauduchon, P., Spach, G., and Wahl, P.: Block Oligopeptides $(L\text{-Lysyl})_m$-$(L\text{-Alanyl})_n$-L-Tyrosyl-$(L\text{-Alanyl})_n$-$(L\text{-Lysyl})_m$. II. Circular Dichroism and Pulsefluorimetry Conformational Studies, 337
McIntosh, R. P. and Johnson, P.: Fluorescence Depolarization Studies of Conformation Changes in Pyrene-Butyryl-Fumarase, 2373
Meraldi, J.-P., Blout, E. R., Boni, R., and Verdini, A. S.: Solution Conformations of Some Azetidine Cyclic Peptides, 2401
Mihayashi, K.: See Nishide, H.
Milas, M.: See Rinaudo, M.
Miller, I. R., Teuber, M., and Accad, Y.: Competition Between Native and Monoacetylated Polymyxin for Charged Adsorption Sites, 1513
Milstein, J. B.: See Charney, E.
Minton, A. P.: See Ross, P. D.
Mita, K., Ichimura, S., and Zama, M.: Conformation of Poly(L-Arginine). II. Complexes with Polyanions, 2783
——: See Ichimura, S.
Miura, O.: See Hirano, S.
Miyamoto, M.: See Sasaki, S.

Miyazawa, T.: See Inagaki, F.
Mizutani, C.: See Hirano, S.
Momany, F. A. and Aubuchon, J. R.: Conformational Energy Analysis of Retro-All-D-Methionine Enkephalin, 2609
Morcellet, M. and Loucheux, C.: Rigidity of α-Helical Polypeptides. A New Method of Obtaining the Persistence Length from Viscosimetric Data, 593
Moretto, V.: See Filippi, B.
Moro, K.: See Tsunashima, Y.
Muellenet, J. P.: See Schmitt, A.

Nagai, U.: See Kawai, M.
——: See Kobayashi, J.
Nagata, C.: See Saitô, H.
Naider, F., Becker, J. M., Ribeiro, A., and Goodman, M.: The Effect of Homologous Amino Acid Replacement on the Conformation of Oligopeptides. III. CD Studies on Co-Oligopeptides of Methionine and Valine or Methionine Glycine in Organic Solution, 2213
——: See Champi, J.
Nakajima, H. and Wada, Y.: A General Method for the Diffusion Constants, Dilute Solution Viscoelasticity, and the Complex Dielectric Constant of a Rigid Macromolecule with an Arbitrary Configuration. II, 2291
——: See Yamanaka, K.
Nakamura, T.: See Sasaki, S.
Nakata, Y., Akaike, T., and Inoue, S.: Conformation of Amino Acid Residue Contiguous to Helical Polypeptide, 937
Nandi, U. S.: See Pillai, C. K. S.
Neel, J.: See Aubry, A.
——: See Cung, M. T.
Nieuwenhuysen, P. and Clauwaert, J.: Photon Correlation Spectroscopy of MS2-Virus, 2039
Nishide, H., Hata, S., Mishayshi, K., and Tsuchida, E.: Oxygenation of Cobalt(II) Protoporphyrin IX Dimethyl Ester Bound to Copolymer of 4-Vinylpyridine and Styrene, 191
——, ——, ——, and ——: Oxygenation of Cobalt(II) Protoporphyrin IX Dimethyl Ester Bound to Copolymer Poly(L-lysine, L-tyrosine) 1:1 in Aqueous Solution, 199
Nishioka, N., Maekawa, A., and Teramoto, A.: Solution Properties of Synthetic Polypeptides. XXI. Solvent Effect on the Helix-Coil Transition of Poly(ε-Carbobenzoxy L-lysine), 665
Nishira, H. and Asai, H.: A Double-Cell Method for Direct Measurement of Small Differences in Transient Electric Birefringence of Two Solutions, 1821
Niu, C.-H., Madison, V., Pease, G., and Blout, E. R.: Cyclic Peptides. XXII. Cation Binding by a Cyclic Hexapeptide: Cyclo(D-Ala-Pro-Gly)$_2$, 2747
——, Pease, L. G., and Blout, E. R.: Cyclic Peptides. XVIII. ^{13}C Spin-Lattice Relaxation Times of $(X\text{-Pro-}Y)_2$ Cyclic Hexapeptides, 115
Noda, H.: See Kodama, M.
Nordén, B., Seth, S., and Tjerneld, F.: Renaturation of DNA in Ethanol-Methanol Solvent Induced by Complexation with Methyl Green, 523
Nunnery, A. W.: See Fung, B. M.

Ockman, N.: The Antibody-Antigen Interaction at an Aqueous-Solid Interface: A Study by Means of Polarized Infrared ATR Spectroscopy, 1273
Odom, O. W., Craig, B. B., and Hardesty, B. A.: The Conformation of the Anticodon Loop of Yeast $tRNA^{Phe}$ in Solution and on Ribosomes, 2909
Ohkii, M.: See Saitô, H.
Okamoto, K., Rapaka, R. S., and Urry, D. W.: Synthesis of Polymeric Models of Elastin: Polyhexapeptides and an Insoluble, Hybrid Cross-Linked Polypeptide, 573
Olson, W. K.: Spatial Configuration of Ordered Polynucleotide Chains. V. Conformational Energy Estimates of Helical Structure, 1015
Ornstein, R. L., Rein, R., Breen, D. L., and Macelroy, R. D.: An Optimized Potential Function for the Calculation of Nucleic Acid Interaction Energies. I. Base Stacking, 2341

Padva, A., Peng, S., Lin, J., Shahbaz, M., and LeBreton, P. R.: Ultraviolet Photoelectron Studies of 5-Halouracils, 1523
Painter, P. C. and Coleman, M. M.: An Analysis of the Amide I Mode in the Vibrational Spectra of Unordered Polypeptides and Proteins, 2475
Palumbo, M., Cosani, A., Terbojevich, M., Benvegnu', C., and Peggion, E.: Metal Complexes of Poly(α-amino Acids): Cu(II) Chelates of Acetoacetylated Poly(L-lysine), Poly(L-ornithine), and Poly(L-diaminobutyric Acid), 1003
——, ——, ——, and Peggion, E.: Metal Complexes of Poly-α-Amino Acids. Interaction of Cu(II) Ions with Poly(L-lysine) in the β-

Structure, 243
——: See Cosani, A.
——: See Toniolo, C.
Park, J. W. and Chakrabarti, B.: Optical Properties and Viscosity of Hyaluronic Acid in Mixed Solvents: Evidence of Conformational Transition, 1323
Parry, D. A. D. and Craig, A. S.: Collagen Fibrils and Elastic Fibers in Rat-Tail Tendon: An Electron Microscopic Investigation, 843
Patel, D. J.: See Tonelli, A. E.
Patkowski, A., Jen, S., and Chu, B.: Intensity-Fluctuation Spectroscopy and tRNA Conformation. II. Changes of Size and Shape of tRNA in the Melting Process, 2643
Pavlov, V. M. and Lyubchenko, Yu. L.: A New Method for Recording of DNA Differential Melting Curves, 795
Pawlowski-Konopnicki, B. E.: See Auer, H. E.
Pease, G.: See Niu, C.-H.
Pease, L. G.: See Niu, C.-H.
Peggion, E.: See Cosani, A.
——: See Palumbo, M.
——: See Toniolo, C.
Pellegrini, A. and Luisi, P. L.: Pepsin-Catalyzed Peptide Synthesis, 2573
Peng, S.: See Padva, A.
Penniston, J. T.: See Jones, C. R.
Penon, P.: See Baret, J. F.
Pérez, S. and Brisse, F.: Conformational Features of Oligocellulose Acetates in the Solid-State and Their Implications for the Structures of Cellulose Triacetate, 2083
Perretti, M.: See Dentini, M.
Pezzin, G.: See Scandola, M.
Pieroni, O.: See Houben, J. L.
Pillai, C. K. S. and Nandi, U. S.: Interaction of Metal Ions with Nucleic Acids and Related Compounds. II. Studies on Au(III)–Nucleic Acid System, 709
Pineri, M. H., Escoubes, M., and Roche, G.: Water-Collagen Interactions: Calorimetric and Mechanical Experiments, 2799
Ponnuswamy, P. K. and Thiyagarajan, P.: Solvent Accessibilities in the Dimeric Subunits of RNA and DNA, 2503
——: See Thiyagarajan, P.
Pörschke, D.: Molecular States in Single-Stranded Adenylate Chains by Relaxation Analysis, 315
Prémilat, S.: See Leclerc, M.
Protas, J.: See Aubry, A.
Ptak, M., Heitz, A., and Dreux, M.: ^{1}H and ^{13}C NMR Studies of Cyclic and Linear Dipeptides Containing Threonyl, Seryl, Aspartyl, and Histidyl Residues, 1129
Raksanyi, K., Foldvari, I., Fidy, J., and Kittler, L.: The Electronic Structure of Cytosine, 5-Azacytosine, and 6-Azacytosine, 887
Ramanathan, B. and Schmitz, K. S.: A Quantitative Analysis of Excluded-Site Effects for Highly Cooperative Binding Systems, 2171
Rao, P. B. and Bryan, W. P.: Measurement of the Strongly Held Water of Lysozyme by Drying, 291
—— and ——: Measurement of the Strongly Held Water of Myoglobin by Drying, 1957
Rao, V. S. R.: See Virudachalam, R.
Rapaka, R. S.: See Brahmachari, S. K.
——: See Okamoto, K.
Record, Jr., M. T. and Lohman, T. M.: A Semiempirical Extension of Polyelectrolyte Theory to the Treatment of Oligoelectrolytes: Application to Oligonucleotide Helix-Coil Transitions, 159
—— and ——: A Semiempirical Extension of Polyelectrolyte Theory to the Treatment of Oligoelectrolytes: Application to Oligonucleotide Helix-Coil Transitions, 1101 (Erratum)
Rein, R.: See Ornstein, R. L.
Ribeiro, A.: See Naider, F.
Richards, E. L.: See Sharman, W. R.
Richardson, C. E.: See Herrmann, M. S.
Richarz, R. and Wüthrich, K.: Carbon-13 NMR Chemical Shifts of the Common Amino Acid Residues Measured in Aqueous Solutions of the Linear Tetrapeptides H-Gly-Gly-X-L-Ala-OH, 2133
Riemer, S. C. and Bloomfield, V. A.: Packaging of DNA in Bacteriophage Heads: Some Considerations on Energetics, 785
Rinaudo, M. and Milas, M.: Polyelectrolyte Behavior of a Bacterial Polysaccharide from *Xanthomonas campestris:* Comparison with Carboxymethylcellulose, 2663
River, J., Kaiser, R., and Galyean, R.: Solid-Phase Synthesis of Somatostatin and Glucagon-Selective Analogs in Gram Quantities, 1927
Roche, G.: See Pineri, M. H.
Rogulenkova, V. N.: See Lazarev, Yu. A.
Roques, B. P.: See Butour, J. L.
Ross, P. D., Briehl, R. W., and Minton, A. P.: Temperature Dependence of Nonideality in Concentrated Solutions of Hemoglobin, 2285
Rossi, M.: See Kistenmacher, T. J.
Roth, A. C.: See Bhat, G.

Russo, S. F. and Engel, R. G.: Application of Thin Film Dialysis to the Determination of Equilibrium Constants, 837

Saitô, H., Ohki, T., Kodama, M., and Nagata, C.: C Nuclear Magnetic Resonance Study of Salt-Induced Conformational Change of Basic Polypeptides: Poly(L-Lysine), Poly(L-Arginine), and Poly(L-Ornithine), 2587

Sakamoto, M., Hayakawa, R., and Wada, Y.: Dielectric Relaxation of DNA Solutions. II, 1507

Sasaki, S., Miyamoto, M., Nakamura, T., and Uematsu, I.: Solid-State Modifications of Poly(γ-Ethyl-L-Glutamate), 2715

Savino, M.: See Dentini, M.

Savoie, R., Klump, H., and Peticolas, W. L.: A Raman and Calorimetric Investigation of 3′,5′-GpG, 1335

Saygin, Oe., Heidemann, E., and Klump, H.: The Triple Helix-Coil Transition of Cyanogen-Bromide Peptides of the α1-Chain of the Calf-Skin Collagen, 511

Scandola, M. and Pezzin, G.: The Low-Temperature Mechanical Relaxation of Elastin. II. The Solvated Protein, 213

Schachman, H. K.: See Syvanen, M.

Schellman, J. A.: Solvent Denaturation, 1305

——: See Wilson, R. W.

Scheraga, H. A.: See Zimmerman, S. S.

Schmitt, A., Muellenet, J. P., and Varoqui, R.: Relaxation and Electrophoretic Effects in Polyelectrolyte Solutions. I. Salt-Free Solutions, 413

——, ——, and ——: Relaxation and Electrophoretic Effects in Polyelectrolyte Solutions. II. Polyelectrolyte-plus-Salt Solutions, 1249

Schmitz, K. S.: See Ramanatham, B.

Schneider, C.: See Marck, C.

Schurr, J. M.: See Lin, S.-C.

Scovell, W. M.: Structural and Conformational Studies of Polyriboadenylic Acid in Neutral and Acid Solution, 969

Sederel, W., Deshmane, S., Hayashi, T., and Anderson, J. M.: The Random Copolymerization of γ-Benzyl-L-Glutamate and L-Valine *N*-Carboxyanhydrides: Reactivity Ratio and Heterogeneity Studies, 2835

——: See Deshmane, S.

Seth, S.: See Nordén, B.

Setzler, L. M.: See Herrmann, M. S.

Shahbaz, M.: See Padva, A.

Sharman, W. R., Richards, E. L., and Malcolm, G. N.: Hydrodynamic Properties of Aqueous Solutions of Galactomannans, 2817

Sharp, D. S., Fujita, N., Kinzie, K., and Ifft, J. B.: Compressibility Studies of Three Proteins in CsCl Solutions in the Analytical Ultracentrifuge, 817

Shibnev, V. A.: See Lazarev, Yu. A.

Shinkai, S., Ando, R., and Kunitake, T.: Facile Oxidation of Nitroethane Carbanion by a Flavin Immobilized in Cationic Polymers, 2757

Shkorbatov, A. G., Verkin, B. I., and Kulik, I. O.: Light-Scattering and Depolarization in Biopolymers: Distinction Between Flexible Chain Models, 1

Siano, D. B.: Light Scattering During the Hysteresis Effect in Poly(A)-2 Poly(U), 2897

Simanouchi, T.: See Sugawara, Y.

Skinner, D. M.: See Gray, D. M.

Sorokin, V. A.: See Blagoi, Yu. P.

Spach, G.: See Mayer, R.

Spadon, P., Verdini, A. S., and Del Pra, A.: Determination of the Solid State Conformation of Poly(N^5-(2-Hydroxyethyl)-L-Glutamine) From X-Ray Diffraction, 2029

Spetnagel, W. J. and Klotz, I. M.: Oxidation of Dihydronicotinamide Adenine Dinucleotide by a Flavin Derivative of Polyethylenimine, 1657

Šponar, J.: See Votovová, H.

Srinivasan, A. R. and Yathindra, N.: The Conformational Wheel—A Circular Plot for Correlating the Primary and Secondary Structure of a Linear Polymer with the Conformational Angles of its Individual Residues, 1595

Srivastava, V. K., Srivastava, G. P., and Srivastava, V. P.: Nonaqueous Solutions of DNA. A Dilatometric Study, 2523

Srivastava, V. P.: See Srivastava, V. K.

Starcher, B.: See Karwoski, G.

Staynov, D. Z.: See Chipev, C. C.

Steinberg, Z. I.: See Haas, E.

Steinfeld, A. S.: See Champi, J.

Stellman, S. D.: See Broyde, S.

Stevens, E. S.: See Toniolo, C.

St. Pierre, S., Ingwall, R. T., Verlander, M. S., and Goodman, M.: Conformational Studies of Sequential Polypeptides Containing Lysine and Tyrosine, 1837

——, ——, ——, and ——: Synthesis of Sequential Polypeptides Containing Lysine and Tyrosine, 1827

Strim, S.: See Wolf, Ch.

Sturgill, T. W.: Thermodynamic Characterization to Ethidium Bromide Binding to a Unique Site on Yeast $tRNA^{Phe}$, 1793

——, Johnson, R. E., and Biltonen, R. L.: Thermal Perturbation Techniques in Characterizing Ligand-Macromolecule Interactions: Theory and Application to the Proflavin-α-Chymotrypsin System, 1773
Sugawara, Y., Harada, I., Matsuura, H., and Shimanouchi, T.: Preresonance Raman Studies of Poly(L-Lysine), Poly(L-Glutamic Acid), and Denatured *N*-Methylacetamides, 1405
Surowiec, A.: Determination of Dielectric Properties of a High-Molecular-Weight DNA, 2279
Swenson, C. A.: See Bull, H. B.
Switkes, E.: See Johnson, N. P.
Syvanen, M. and Schachman, H. K.: Donnan Effect as Measured By Sedimentation Equilibrium for the Protein Cytochrome c, 943
Szu, S. C.: See Wû, T. T.

Taketomi, H.: See Ueda, Y.
Taravel, F. R.: See Chumpitazi-Hermoza, B. F.
Tasumi, M.: See Inagaki, F.
Taylor, T. N.: See Gray, D. M.
Teramoto, A.: See Nishioka, N.
Terbojevich, M.: See Cosani, A.
——: See Palumbo, M.
Teuber, M.: See Miller, I. R.
Tewari, R. and Danyluk, S. S.: Configurational Effects on Conformational Properties of Cyclic Nucleotides. I. Theoretical Calculations of Conformer Preferences in α-Nucleoside 3′,5′ Cyclic Monophosphates, 1181
Thakur, A. K. and DeLisi, C.: Theory of Ligand Binding to Heterogeneous Receptor Populations: Characterization of the Free-Energy Distribution Function, 1075
Thirion, C.: See Gabriel, M.
Thiyagarajan, P. and Ponnuswamy, P. K.: Conformational Characteristics of dApdA, dApdT, dTpdA, and dTpdT from Energy Minimization Studies, 533
—— and ——: Conformational Characteristics of the RNA Subunit ApA from Energy Minimization Studies, 2143
——: See Ponnuswamy, P. K.
Thomas, J. C. and Fletcher, G. C.: Rotational Decay Constant of Tobacco Mosaic Virus by Depolarized Photon-Correlation Spectroscopy, 2753
Thompson, R. E.: See Herrmann, M. S.
Tjerneld, F.: See Nordén, B.
Tonelli, A. E.: The Solution Conformation of Malformin A, 1175
——, Patel, D. J., Wieland, T., and Faulstich, H.: The Structure of α-Aminitin in Dimethylsulfoxide Solution, 1973
Tong, B. Y. and Battersby, S. J.: Melting Fine Structure of X174 DNA and Its Fragments: A Theoretical Study, 2933
Toniolo, C., Bonora, G. M., Palumbo, M., Peggion, E., and Stevens, E. S.: Linear Oligopeptides. XLIII. Study of the Relationship Between Conformation and Nature of Side Chain: Homologous Series Derived from γ-Branched Amino Acid Residues, 1713
——: See Baron, M. H.
——: See Jones, D.
Torreilles, J.: See Gabriel, M.
Tosi, C., Clementi, E., and Matsuoka, O.: Conformational Studies on Polynucleotide Chains. II. Analysis of Steric Interactions and Derivation of Potential Functions for Internal Rotations, 51
——, ——, and ——: Conformational Studies on Polynucleotide Chains. III. Intramolecular Energy Maps and Comparison with Experiments, 67
——, ——, and ——: Conformational Studies on Polynucleotide Chains. III. Intramolecular Energy Maps and Comparison with Experiments, 2045 (Erratum)
——: See Matsuoka
Tosi, L.: See Garnier, A.
Tsong, T. Y. and Baldwin, R. L.: Effects of Solvent Viscosity and Different Gaunidine Salts on the Kinetics of Ribonuclease A Chain Folding, 1669
Tsuchida, E.: See Hasegawa, E.
——: See Nishide, H.
Tsunashima, Y., Moro, K., Chu, B., and Lui, T. Y.: Characterization of Group C Meningococcal Polysaccharide by Light-Scattering Spectroscopy. III. Determination of Molecular Weight, Radius of Gyration, and Translational Diffusional Coefficient, 251
Turbojevich, M.: See Palumbo, M.
Turpin, P. Y.: See Chinsky, L.
Twardowski, J.: Laser Raman Spectroscopy of Acid Phosphatase From Rat Liver, 181

Ueda, Y., Taketomi, H., and Gō, N.: Studies on Protein Folding, Unfolding, and Fluctuations by Computer Simulation. II. A Three-Dimensional Lattice Model of Lysozyme, 1531
Uematsu, I.: See Sasaki, S.
Urry, D. W.: See Okamoto, K.

Valeyev, V. A.: See Blagoi, Yu. P.

Vanderkooi, J.: See Baker, B. M.
van der Tempel, M.: See van Kleef, F. S. M.
Van Holde, K. E. and Weischet, W. O.: Boundary Analysis of Sedimentation-Velocity Experiments with Monodisperse and Paucidisperse Solutes, 1387
van Kleef, F. S. M., Boskamp, J. V., and van den Tempel: Determination of the Number of Cross-Links in a Protein Gel from its Mechanical and Swelling Properties, 225
Varoqui, R.: See Schmitt, A.
Vaughan, M. R.: See Gray, D. M.
Veer, F. A.: See de Feijter, J. A.
Vennart, W.: See Andrew, E. R.
Verdini, A. S.: See Boni, R.
——: See Dentini, M.
——: See Meraldi, J.-P.
——: See Spadon, P.
Verkin, B. I.: See Shkorbatov, A. G.
Verlander, M. S.: See Fuller, W. D.
——: See St. Pierre, S.
Vickerman, C. E.: See Liberti, P. A.
Virudachalam, R. and Rao, V. S. R.: Theoretical Studies on Peptidoglycans. I. Effect of L-Alanyl, D-Butyl, or D-Valyl Residues at the Positions 4 or 5 of the Pentapeptide Moiety of Peptidoglycan on the Cross-Linking Reaction, 2251
Vizard, D. L.: Study of DNA Sequence Supraorganization by Intermolecular Renaturation, 2057
Vlachy, V. and Lapanje, S.: Gibbs Free Energy of Transfer of a Protein from Water to Aqueous Denaturant Solutions, 2041
von Heijne, G. and Blomberg, C.: Some Global β-Sheet Characteristics, 2033
Votovová, H., Bláha, K., and Šponar, J.: Model Nucleoproteins: Binding of Actinomycin D to Complexes of DNA with Lysine-Containing Polypeptides, 1747

Wada, Y.: See Nakajima, H.
——: See Sakamoto, M.
——: See Yamanaka, K.
Wahl, P.: See Mayer, R.
Wartell, R. M.: See Broyde, S.
Webb, W. W.: See Magde, D.
Weill, G. and Andre, J. J.: Dipole-Dipole Interaction and the Relative Stability of Different Types of Aggregates of Helical Polypeptides, 811
Weischet, W. O.: See Van Holde, K. E.
Welsh, III, J. B. and Bloomfield, V. A.: Concentration-Dependent Isomerization of Bacteriophage T2L, 2001
—— and ——: Thermodynamics of the Slow–Fast Transition in Bacteriophage T2L, 1987
Wieland, T.: See Tonelli, A. E.
Wiget, P. and Luisi, P. L.: Cooligopeptides Containing Aromatic Residues Spaced by Glycyl Residues. IX. Fluorescence Properties of Tryptophan-Containing Peptides, 167
Wilson, R. W.: The Dichroic Tensor of Flexible Helices in a Magnetic Field, 1811
—— and Schellman, J. A.: The Flow Linear Dichroism of DNA: Comparison with the Bead-Spring Theory, 1235
Wolf, Ch., Elsasser-Beile, U., Strum, S., Dutton, G. G. S., and Burchard, W.: Conformational Studies of Bacterial Polysaccharides. II. Optical Activity of Some Bacterial Capsular Polysaccharides, 731
Woody, R. W.: Aromatic Side-Chain Contributions to the Far Ultraviolet Circular Dichroism of Peptides and Proteins, 1451
Wu, T. T., Szu, S. C., Jernigan, R. L., Bilofsky, H., and Kabat, E. A.: Prediction of β-Sheets in Immunoglobulin Chains. Comparison of Various Methods and an Expanded 20×20 Table for Evaluation of the Effects of Nearest-Neighbors on Conformations of Middle Amino Acids in Proteins, 555
Wüthrich, K.: See Demarco, A.
——: See Richarz, R.

Yamada, A., Akasaka, K., and Hatano, H.: Dynamic Structure of Polyriboguanylic Acid in Neutral Aqueous Solution. A Proton and Phosphorus-31 NMR Study, 749
Yamaguchi, R.: See Hirano, S.
Yamanaka, K., Nakajima, H., and Wada, Y.: Kinetic Study of Denaturation and Subsequent Reduction of Disulfide Bonds of Lysozyme by the Rapid Ultrasonic Absorption Measurement, 2159
Yamaoka, K. and Masujima, M.: Spectroscopic and Equilibrium Dialysis Studies of the Binding of Acridine and 10-Methylacridine to DNA in the pH Range 4–10, 2485
Yathindra, N.: See Srinivasan, A. R.

Zama, M.: See Ichimura, S.
——: See Mita, K.
Zhurkin, V. B., Lysov, Yu. P., and Ivanov, V. I.: Different Families of Double-Stranded Conformation of DNA as Revealed by Computer Calculations, 377
Zimmerman, S. S. and Scheraga, H. A.: Influence of Local Interactions on Protein Struc-

ture. II. Conformational Energy Studies of *N*-Acetyl-*N'*-Methylamides of Ala-*X* and *X*-Ala Dipeptides, 1849
—— and ——: Influence of Local Interactions on Protein Structure. III. Conformational Energy Studies of *N*-Acetyl-*N'*-Methylamides of Gly-*X* and *X*-Gly Dipeptides, 1871
—— and ——: Influence of Local Interactions on Protein Structure. IV. Conformational Energy Studies on *N*-Acetyl-*N'*-Methylamides of Ser-*X* and *X*-Ser Dipeptides, 1885
Zundel, G.: See Lindemann, R.

Subject Index to Volume 17

Absorption spectral studies
  of acetoacetylated poly(α,ω-diamino acids), 1003
  of actinomycin D-model deoxynucleotide complexes, 1891
  of azide ion–myoglobin complexes, 2047
  of base stacking in εApεA, 1361
  of Cu(II) complexes of polypeptide–pyridoxal, 909
  of DNA–acridine dye complexes, 2485
  of DNA analogs, 2633
  of S-peptide and S-protein mixtures, 2525
  of polypeptides–pyridoxal Schiff bases, 897
  of thermal denaturation of DNA–Mg(II) system, 1103
  of $tRNA^{Phe}$ derivatives, 2909
Ac-Aib-NHMe, synthesis and conformational studies, 1693
Ac-Ala-X-NHMe and Ac-X-Ala-NHMe dipeptides, conformational energy calculation, 1849
Ac-Gly-X-NHMe and Ac-X-Gly-NHMe dipeptides, conformational energy calculations, 1871
AC-Phe-NHMe, Ac-Phe-OH, and Ac-Phe-X dipeptides, synthesis and side chain conformation studies of, 2265
Ac-Ser-X-NHMe and Ac-X-Ser-NHMe dipeptides, conformational energy calculations, 1885
Acetoacetylated polypeptides cupric complexes, characterization and conformational studies, 1003
Acid phosphatase, Raman spectroscopy studies, 181
Acridine dimer–DNA complexes, studies by electron microscopy, 873
Acridine–DNA complex, binding studies of, 2485
Actinomycin D
  binding to DNA–polypeptide complexes, 1747
  complexes with model deoxynucleotides, 1891
Activated NCA-type mechanism, in stereoselective polymerizations, 2561
Adenine-5-halouracil complexes, association constants of, 1523
ADP- and dADP-Cu(II) complexes, studies by CD, 1423
Adsorption of macromolecules, at air–water interface, 1759
Adsorption studies, competitive, of polymyxin B to charged lipid layers, 1513
Adsorption studies, of T-even bacteriophages to host cells, 2689
Affinity distributions, of ligand binding to heterogeneous receptor population, 1075
pdA-dG-Actinomycin D complex, binding studies of, 1891
Agglutinins, conformational studies, 2107
Aggregates, head-to-tail and side-to-side calculation of dipole-dipole interaction in, 811
Aggregation studies
  in GpG, 1335
  of hemoglobin, 1581
  of Leu dipeptides, 1149
  in pectin, 2885
  in poly(A)·2 poly(U), 2897
Aib containing peptides, synthesis and conformational studies, 1693
Air–water interface, adsorption of biopolymers at, 1759
Albumin, denaturation by alcohols, 2121
Alcohols, denaturation of egg albumin by, 2121
Alkaline earth salts of poly(Glu), hydration conformation and mechanical relaxation studies, 2309
Alumichrome, ^{1}H-^{15}N spin-spin couplings in, 2727
Alumichrome peptides, ^{1}H-nmr studies of, 617, 637
α-Amanitin, conformational studies of, 1973
Amide I mode frequency, in unordered polypeptides, 2475
Amide vibrations, frequencies of, studies by preresonance Raman, 1405
Amino acid analysis
  detection of lysinonorleucine by, 1119
  of peptide containing δ-sulfoxide amino acids, 2703
Amino acids
  thermodynamic parameters and solubilities of, 1091
1-Aminoanthracene derivative of $tRNA^{Phe}$, synthesis and conformational studies of, 2909
DL-α-amino heptenoic acid, synthesis and application in specific cross-link formation, 1119

5′-AMP, Raman studies of, 1347
dAMP-Au(III) complexes, studies of, 709
AMP-poly(L-Arg), studies of excluded-site systems in, 2171
Amylose
  conformational studies by CD, 1439
  conformational studies in water, 985
Amylosic chain conformation studies, 2617
Analysis of conformational transitions
  in macromolecules, 463, 481
  in poly(A)-poly(U), 497
Antibody–antigen interaction, studies by polarized ir ATR spectroscopy, 1273
Anticodon loop in $tRNA^{Phe}$, conformational studies, 2909
Antimicrobial activity, of synthetic analogs of gramicidin S, 1549
Antiserum to albumins (AOA and ARSA), study of interaction with serum albumins, 1273
ApA, conformational analysis of, 2143
ApA, $1,N^6$-etheno derivative, base stacking studies in, 1361
dApdA- and dApdT-calculation, of total potential energy, 533
dApdA, potential energy calculation for, 533, 1485
Ar^+ laser, in Raman studies of nucleic acid derivatives, 1347
Aspartate transcarbamylase, studies of hydrodynamic properties, 1605
L-Asp-L-His, conformational studies, 1129
Association constants, of 5-halouracil–adenine complexes, 1523
Association studies, stereoselective, of Leu dipeptides, 1149
Asymmetric hydrogen bonding, in 1-methylcytosine, 2581
Attenuated total reflectance spectroscopy (ATR) studies, polarized, of antibody–antigen interaction, 1273
Au(III), interaction with nucleic acids, 709
5- and 6-Azacytosine, normal and vacuum uv studies, 887
L-Azetidine-2-carboxylic acid cyclic peptides, synthesis and CD studies of, 2385
Azide ion, binding to myoglobin, 2047
Azo chromophore, bound to poly(L-Glu), 799

Bacterial capsular polysaccharides, temperature induced conformational transition in, 731
Bacterial cellulose, biosynthesis of, 2361
Bacterial polysaccharide, physicochemical properties of, 2663
Bacteriophage T2 and T6, studies of extended tail fiber configuration in, 2689
Bacteriophage, T2L, slow–fast transition of tail-fiber in, 1987, 2001
Bacteriophage T7 DNA, flow linear dichroism studies, 1235
Bacteriophage T7, DNA–MeHgOH complexes studies, 605
Bacteriophage T4D, electrophoretic separation of population, 2015
Bacteriophage T-even, DNA packaging in, 785
Base-pair stacking, calculated, in deoxydinucleoside monophosphates, 533
Base-pair stacking interactions
  in ϵApϵA, 1361
  in nucleic acids, 2341
  in adenine-5-halouracil complexes, 1523
Bend probabilities, calculated for *N*-acetyl-*N*′-methylamide-dipeptides, 1849, 1871, 1885
Binding affinities, of intercalating drugs with DNA, 873
Binding constants, of Mg(II) to DNA, 1103
Binding isotherms, of molecular complexes, 2171
Binding studies
  of actinomycin D to DNA-Lys-containing polypeptide complexes, 1747
  of actinomycin D to model deoxynucleotide, 1891
  of azide ion to myoglobin, 2047
  of divalent cations by *cyclo*(D-Ala-Pro-Gly)$_2$, 2747
  of DNA–acridine dye complexes, 2485
  of EtdBr–$tRNA^{Phe}$, 1793
  of fluorophor carrying $tRNA^{Phe}$ to ribosomes, 2909
  of ligand-macromolecule, 1773
  of ligand to protein by thin film dialysis, 837
  of oxygen to complex of Co(II) protoporphyrin IX dimethyl ester and copoly[4-vinylpyridine-styrene], 191
  of S-peptide analogs to S-protein, 2525, 2545
  of proflavin-α-chymotrypsin, 1773
  of pyridoxal onto polypeptides, 897
Biosynthesis of bacterial cellulose, 2361
Birefringence studies, in extended tail fiber in T-even bacteriophages, 2689
Boc-L-Ala-DL-Ahe-L-Ala-OMe, specific cross-links formation by, 119
Boc-Gly-Met_n-OMe, (n = 1–6), synthesis and conformational studies, 2199
Boc-Met_3-Val-Met_2-OMe, 2189
Boc-Met_3-Val-Met_3-OMe, synthesis of, 2189
Boc-oligopeptide methyl esters of Cha, Leu and Phe, conformational studies of, 1713

Boc-Val-Met$_n$-OMe, (n = 1–6), synthesis and optical purity of, 2189
Bovine serum mercaptoalbumin (BMA), compressibility of, 817
Boundary analysis, of sedimentation-velocity experiments, 1387
Br-derivatized nucleic acids, Raman studies of, 1347
Broken rod, hydrodynamic properties of, 1605
Brownian motion
  of the ends of oligopeptide chains, 11
  of poly(L-Lys), 1041
  5-Br-dUrd, Raman studies of, 1347
  BrdUrd substituted DNA, length profile analysis, 2865
  BSA, adsorption of, at air–water interface, 1759
  Bu^{t}CO-amino acyl alkyl amides, stereoselective association studies, 1149
  Bu^{t}CO-L-Pro-Aib-NHMe, synthesis and conformational studies of, 1693

Cable temperature-jump apparatus, in studies of helix-coil transition, 315
Calorimetric studies
  of alkaline earth salts of poly(Glu), 2309
  of amino acids, 1091
  of elastin, 677
  of EtdBr–tRNA^{Phe} binding, 1793
  of GpG, 1335
  of $\langle \Delta H \rangle$ for multistate macromolecular transition, 463
  of helix–coil transition in CNBr peptides derived from collagen, 511
  of hydration in collagen, 2799
  of tRNA^{Phe} unfolding, 1257
  of solid state films of poly[L-Glu(OEt)], 2727
  of thermal unfolding of poly(A)·poly(U), 497
  of thermal unfolding of ribonuclease A, 463
α- or β-3′,5′-cAMP, conformational energy calculation, 1181
Carboxylic acid-poly(L-His)system, polarizability of and proton transfer in hydrogen bonds, 1285
K-Casein, adsorption of, at air–water interface, 1759
CD, calculated
  of aromatic side-chain contributions in far uv, 1451
  of DNA, 85
  of satellite DNAs, 107
CD studies
  calculated for dinucleotides, 857
  of acetoacetylated poly(α,ω-diamino acids), 1003
  of actinomycin D-model deoxynucleotide complexes, 1891
  of amylose, 1439
  of ϵApϵA, 1361
  of bacterial capsular polysaccharides, 731
  of γ-branched amino acid homo-oligomers, 1713
  of cellobiose, 1439
  of CNBr peptides derived from collagen, 511
  of collagen-like triple helix formation in oligopeptides, 1215
  of co-oligopeptides of Met and Gly, and Met and Val, 2213
  of Cu(II) complexes of polypeptide-pyridoxal, 909
  of Cu(II)-hyaluronic acid complexes, 2415
  of Cu(II) mononucleotide complexes, 1423
  of *cyclo*(D-Ala-Pro-Gly)$_2$-cation complexes, 2747
  of cyclodextrins, 1439
  of DNA, 85
  of DNA–methyl green complexes, 523
  of DNA–phenanthridinium derivative complexes, 1469
  of glucose, 1439
  of GpG, 1335
  of gramicidin S and analogs, 1549
  of hyaluronic acid, 1323
  of lectins, 2107
  of (L-Lys)$_m$-(L-Ala)$_n$-L-Tyr-(L-Ala)$_n$-(L-Lys)$_m$, 337
  of maltose oligomers, 1439
  of S-peptide analogs, 2525, 2545
  of phage PM2 DNA, 145
  of poly(L-Arg), 2769
  of poly(L-Arg)–polyanion complexes, 2783
  of poly(L-Glu) containing azo groups, 799
  of poly[L-Glu(OBzl)^{29}, L-Val^{71}], 2851
  of poly(L-Hyp), 1381
  of poly(L-Lys)–Cu(II) complexes, 243
  of poly(L-Lys,L-Tyr), 199
  of poly [N-Me-Glu(OMe)], 2519
  of polypeptide-pyridoxal Schiff bases, 897
  of poly(Pro-Gly-Phe), 2097
  of poly(L-Pro), 1381
  of poly(L-Tyr-L-Lys$_n$), (n = 1,2,3), 1837
  of satellite DNAs, 107
  of tRNA^{Phe} derivatives, 2909
CD spectra, vectorial interpretation of, 1065
Cellobiose, conformational studies by CD, 1439
Cellobiose octaacetate, and cellotriose undecaacetate, conformational studies of, 2083

Chain-end diffusion coefficient, in oligopeptides, 11
Chitosans, partially *N*-acylated, interaction with acidic glycosaminoglycans, 805
Chondroitin sulfate–hexadecylpyridinium complexes, partition studies, thermodynamics of, 2601
α-Chymotrypsin-proflavin, binding studies, 1773
cis-trans isomerization
in oligoprolines, 2761
in tripeptides of Gly-Ser peptide bonds, 247
cis-trans photoisomerism, of azo groups on poly(L-Glu), 799
Circular plot, for presenting the conformational wheel, 1595
CMC chromatography, gradient elution in, 325
CMC conformational and hydrodynamic studies of, 2663
CNBr peptides, derived from collagen, 511
Coefficient activity of counterions, of xanthan and CMC, 2663
Collagen
helix–coil transition in peptides derived by CNBr cleavage, 511
water fixation studies, 2799
Collagen fibrils, studies by electron microscopy, 843
Collagen-like conformation, of poly(Pro-Gly-Phe), 2097
Collagen related oligopeptides, conformational studies, 1215
Collagen related polytripeptides, conformational studies of, 1197
Complex dielectric constant, and complex viscosity of rigid macromolecules, 2291
Compressibility studies, of proteins, 817
Computer simulation of, ^{1}H nmr of *cyclo*(Aza)$_n$, (n = 2,3), 2401
Concanavalin A, conformational studies, 2107
Conformational analysis
of ApA subunit, 2143
of deoxynucleoside phosphates, 1485
of DNA[poly(dA)·poly(dT)], 377
of poly[*N*-Me-Glu(OMe)], 2519
of peptidoglycan analogs, 2251
of sugar–phosphate–sugar complex, 33, 51
of TRF and analogs, 2679
of immunoglobulins, 555
Conformational energy calculation
of *N*-acetyl-*N*′-methylamide dipeptides containing Ala, 1849
of *N*-acetyl-*N*′-methylamide dipeptides containing Gly, 1871
for Ac-Ser-X-NHMe and Ac-X-Ser-NHMe dipeptides, 1885
of D/L Ala contiguous to α-helical poly(L-Ala), 937
of amylosic chain, 2617
of ApA subunit in RNA, 2143
of deoxydinucleoside monophosphates of A and T, 533
for deoxydinucleoside phosphates, 1485
of dimeric entities derived from cellotriose acetate, 2083
in globular proteins, 1373
of α- or β-nucleoside-3,5′-cyclic monophosphates, 1181
of peptidoglycan derivatives, 2251
of polynucleotides in helical structures, 1015
of retroenantio-Met-enkephalin, 2609
of TRF and analogs, 2679
for water accessibility to dimeric subunits of RNA and DNA, 2503
Conformation fluctuation studies in DNA, 1939
Conformational properties, of globular proteins by lattice model studies, 1531
Conformational studies
of Aib containing peptides, 1693
of alumichrome 2727
of α-amanitin, 1973
of amylose and glucose oligomers, 1439
of amylose in water, 985
of antibody–antigen complexes bound to Ge, 1273
of anticodon loop of tRNA^{Phe}, 2909
of bacterial capsular polysaccharides, 731
of bacteriophage T7 DNA–MeHgOH complexes, 605
of basic homopolypeptides, 2587
of γ-branched α-amino acid homooligomers, 1713
of CMC, 2663
of CNBr peptides derived from collagen, 511
of cobaltichrome peptides, 637
of collagen related oligopeptides, 1215
of co-oligopeptides of Met and Val and of Met and Gly, 2213
of copolymers of L-Val with L-Ala, 125
of Cu(II) chelates of acetoacetylated poly(α,ω-diamino acids), 1003
of Cu(II)–hyaluronic complexes, 2415
of cyclic dodecapeptide, 1601
of cyclic hexapeptides, 115
of *cyclo*(D-Ala-Pro-Gly)$_2$-cation complexes, 2747
of *cyclo*(Aze)$_n$, (n = 2,3), 2401
of DNA–phenanthridinium derivative complexes, 1469

of ferrichrome peptides and their Al^{3+} and Ga^{3+} analogs, 617, 637
of gramicidin S and analogs, 1549
of homo-oligopeptides of L-Val, L-Ile, and L-Phe, 2225
of hyaluronic acid, 1323
of hydrated alkaline earth salts of poly(Glu), 2309
of isopoly(Lys), 2427
of lectins, 2107
of (L-Lys)$_m$-(L-Ala)$_n$-L-Tyr-(L-Ala)$_n$-(L-Lys)$_m$, 337
of malformin A, 1175
of 1-methylcytosine, 2581
of oligocellulose acetates in solid state, 2083
of oligoprolines, 2761
of S-peptide analogs, 2545
of S-peptide analogs mixed with S-protein, 2525
of phage PM2 DNA, 145
of Phe residue side chain in model compounds, 2265
of poly(rA), 969
of poly(L-Arg), 2769
of poly(L-Arg)–polyanion complexes, 2783
of poly(ϵ-carbobenzoxy-L-Lys), 665
of poly[Gln(EtOH)] in solid state, 2029
of poly[L-Glu(OEt)] in solid state films, 2727
of poly[L-Glu(OBzl)^{29},L-Val^{71}], 2851
of poly(L-His)-carboxylic acid system, 1285
of poly(Lys), 2427
of poly(L-Lys)–Cu(II) complexes, 243
of poly(L-Lys) and poly(L-Glu) by Raman spectra, 1405
of poly(L-Lys,L-Tyr), 199
of polypeptide–pyridoxal–Cu(II) complexes, 909
of polytripeptides related to collagen, 1197
of poly(L-Tyr-L-Lys$_n$), (n = 1,2,3), 1837
of poly(L-Val), 125
of pyrene–butyryl–fumarase, 2373
of pyridoxal Schiff bases–polypeptide, 897
of ribonuclease S′, 2525, 2545
of 5′UMP, 267
of valine oligopeptides, 125
of xanthan, 2663
Conformational transitions
analysis, in oligonucleotides, 159
calculated for B-to-A form of DNA subunits, 533
of phage PM2 DNA, 145
temperature induced, in bacterial capsular polysaccharides, 731
thermally induced, in tRNA^{Phe}, 1257
Conformational wheel, presentation of folding in biopolymers, 1595
Co-oligopeptides containing Trp, fluorescence studies, 167
Co-oligopeptides
of Met and Gly, and Met and Val, conformational studies, 2213
of Met and Gly synthesis and optical studies, 2199
of Met and Val, synthesis of, 2189
Cooperative binding, in molecular complexes, 2171
Cooperative transition studies, in macromolecules, 481
Copoly[L-Gln(CH$_2$)$_3$OH, L-DOPA], synthesis of, 2939
Copoly(L-Glu,L-Val), conformational studies of laser Raman, 1729
Copoly(Lys,Ala)–DNA complexes, binding of actinomycin D, 1747
Copolypeptides, random, from Glu(OBzl)–NCA and Val–NCA, 2835, 2851
Copoly(styrene-protoporphyrin IX styrylamide)Co(II), complex formation with N-ethylimidazole, 651
Copoly(styrene-N-vinylimidazole), complex formation with Co(II) protoporphyrin IX in dimethylester, 651
Co(II) protoporphyrin IX dimethylester
complex formation with copoly(styrene-N-vinylimidazole), 651
copoly[4-vinylpyridine–styrene] complexes, spectroscopic studies of oxygenation of, 191
Correlation times for proton spin-lattice relaxation in solid homopolypeptides, 1913
Contiguous residue, to α-helical polypeptide, conformational energy calculation, 937
dCpdC, potential energy calculation for, 1485
Cross-linking analysis, in peptidoglycan analogs, 2251
Cross-linking studies, in ovalbumin, 225
Cross-linking, through Schiff base of ϵ-amino of Lys and DL-α-amino-heptenoyl residue, 1119
Cu(II), complexes with poly(L-Lys), 243
Cu(II)–acetoacylated poly(α,ω-diamino acid) chelates, conformational studies, 1003
Cu(II)–hyaluronic acid complexes, conformational studies of, 2415
Cu(II)–mononucleotide complexes, studies by CD, 1423
Cu(II)–pyridoxal–polypeptide complexes, conformational studies, 909
α- or β-3′,5′-cUMP, conformational energy cal-

culation, 1181
Cyclic peptides containing Ala, Pro, and Gly, synthesis and conformational studies, 115
Cyclic peptides of azetidine, synthesis and CD studies of, 2385
Cyclo(D-Ala-Pro-Gly)$_2$, binding and conformational changes induced by cations, 2747
Cyclo(L-Asp-L-His), conformational studies, 1129
Cyclo(Aze)$_n$, (n = 2,3), conformational studies of, 2401
Cyclodextrine, conformational studies by CD, 1439
Cyclo(X-L-His), conformational studies of dipeptides, 1129
Cyclo(Val-Gly-Pro-Asn-Gly-Met)$_2$, conformational energy calculations, 1601
Cytidine–cytidine H^+ complex, asymmetric interbase hydrogen bonding in, 2581
Cytochrome c, sedimentation studies, 943
Cytosine, normal and vacuum uv studies, 887

Dansyl-(L-GlnCH$_2$OH)$_n$-*N*-hydroxyethyl-L-β-naphtylalanine, in energy transfer studies, 11
Deconvolution analysis
of thermal melting studies of poly(A)-poly(U), 497
of thermal transitions in macromolecules, 463, 481
Degree of hydration, of poly(L-His)–carboxylic acid system, 1285
Denaturation of macromolecules by solvent, thermodynamic studies, 1305
Denaturation of protein, by transfer from water to another aqueous solution, 2041
Denaturation studies
of egg albumin by alcohols, 2121
of lysozyme, 2159
Deoxynucleoside phosphates, conformational energy calculation for, 1485
Depolarization effects, of light-scattering spectroscopy, 1
Di-O,O′-acetyl-L-DOPA-NCA, synthesis and polymerization of, 2933
Dialysis studies, of acetoacetylated poly(α,ω-diamino acids), 1003
Dialysis, thin film, in determination of equilibrium constants, 837
Dideoxynucleotide–actinomycin D complexes, binding and structural studies, 1891
Dielectric constants, dependence of side-chain rotamer population of model peptides on, 2265
Dielectric properties studies, of DNA, 2279
Dielectric relaxation, of DNA, 1507
Differential melting curve, of DNA, 795
Diffusion, fluorescence correlation spectroscopy in studies of, 361
Diffusion coefficient
calculated by boundary analysis, 1387
for galactomannan in solution, 2817
for HbA and HbS, 1581
for tRNA, 2643
for TMV solutions, 2753
Diffusion coefficients, apparent, for poly(L-Lys), 1041
Diffusion coefficient, translational, of multisubunit proteins, 1605
Diketopiperazines, 1129
Dilutometric studies, of DNA in nonaqueous solutions, 2523
Dinucleotides, calculated CD of, 857
Dinucleoside monophosphates, solvent accessibility studies, 2503
Dipole–dipole interactions, calculated in aggregates, 811
Distribution of substituted DNA zone length, analysis of, 2865
Dithiothreitol, in reduction of disulfide bond in lysozyme, 2159
DNA
CD studies of, 85
conformational analysis of, 377
conformational fluctuations in, 1939
conformational studies of, 145
dielectric properties of, 2279
dielectric relaxation of, 1507
differential melting curves of, 795
dilatometric studies in nonaqueous solutions, 2523
distribution of substituted zone length in, 2865
first-neighbor frequencies of, 107
light scattering studies in, 425
Mg(II) effect on helix–coil transition, 1103
renaturation induced by methyl green, 523
studies of elasticity and superhelix formation in, 1939
studies of sequence supraorganization of, 2057
DNA–acridine dye complexes, binding studies, 2485
DNA–Au(III) interaction studies, 709
DNA–drug interaction, studies by electron microscopy, 873
DNA–histone H_1 complex, binding of actinomycin D, 1747
DNA–lysine containing sequential polypeptide

complexes, binding of actinomycin D, 1747
DNA–MeHgOH complexes, in bacteriophage T7, 605
DNA–phenanthridinium derivative complexes, conformational studies of, 1469
DNA, PM2
lengthening upon intercalating drugs, 873
ultracentrifugation studies of fragments of, 1387
DNA subunits, solvent accessibility studies, 2503
DNA, SV-40, ligation of in PEG, 237
DNA, T2, studies of persistence length and excluded volume in, 919
DNA, T7, study of hydrodynamic properties, 1235
DNA T7–oligocytidylate, excluded-site system studies in, 2171
DNA, T-even bacteriophage, packaging of, 785
DNA, ϕX174, and its fragments, theoretical melting study, 2933
DNP derivatives of gramicidin S, synthesis and conformational studies, 1549
Donnan effect, in cytochrome c, 943
Double cell methods, in studies of transient electric birefringence, 1821
Double-helical structures, calculated for polynucleotides, 1015
Double-stranded nucleic acid, studies by electrical dichroism, 1629
Double-to-single stranded transitions, in nucleic acids, 497
Dye laser, in Raman studies of nucleic acid derivatives, 1347
Drying curves
for lysozyme, 291
for myoglobin, 1957
Dynamic mechanical studies, of water fixation to collagen, 2799

Egg albumin (EA), compressibility of, 817
Elasticity, of DNA, 1939
Elastic fibers, studies by electron microscopy, 843
Elastic mechanism, in elastin, 677, 697
Elastin
mechanical relaxation studies, 213
studies of elastic mechanism, 677
swelling behavior studies, 697
Elastin, models, synthesis of, 573
Electrical anisotropy, of T-even bacteriophages, 2689
Electrical resistance studies, of water fixation in collagen, 2799
Electric birefringence, transient, double cell method in, 1821
Electrical dichroism studies, of poly(A), 1629
Electron microscopic studies
of collagen fibrils, 843
of DNA–intercalating drugs, 873
Electronic spectra of Co(II) protoporphyrin IX dimethyl ester-copoly[4-vinylpyridine-styrene] complex, 191
Electrophoretic effect, in polyelectrolyte solution, 413
Electrophoretic mobility studies, in polyelectrolyte solutions, 1249
Electrophoretic studies, of bacteriophage T4D population, 2015
Electrostatic forces, in DNA–acridine dye complexes, 2485
Electrostatic interaction, between protein and negative lipid monolayers, 1513
Ellipsometry, in adsorption studies of biopolymers, 1759
Emission anisotropy study, in fluorophore carrying $tRNA^{Phe}$, 2909
Energetic factors in, packaging of T-even bacteriophage DNA, 785
Energy minimization procedure, for ApA conformation, 2143
Energy transfer, between the chain ends of oligopeptide, 11
Enkephalin analog, conformational energy calculation of retroenantiomer, 2609
Enzymatic coupling procedure, in peptide synthesis, 2573
Enzyme activity studies, correlation with conformation changes, 2373
Enzyme catalyzed synthesis of peptides, 2573
Equilibrium constants, determination by thin film dialysis, 837
Equilibrium dialysis studies
of DNA–acridine dye complexes, 2485
of bound water or alcohols to egg albumin, 2121
ESR studies
of Co(II) protoporphyrin IX dimethyl ester-copoly[4-vinylpyridine–styrene] complexes, 191
of oxygen binding to polymer–Co(II) protoporphyrin complexes, 651
1,N^6-etheno derivative of ApA, base stacking studies in, 1361
Ethidium bromide– and ethidium dimer–DNA complexes, studies by electron microscopy, 873
Exchangeable protons study, in α-amanitin, 1973

Excluded-site system, in molecular complexes, 2171
Excluded volume, evaluation of in T2 DNA, 919

Ferrichrome peptides, ^{1}H-nmr studies
of Al^{3+} and Ga^{3+} analogs, 617, 637
of Co^{3+} analogs, 637
Fiber-reorientation transition studies, in T2L bacteriophage, 1987, 2001
Finite concentration of C-1 meningococcal polysaccharide, 251
First-neighbor polymer procedure in CD analysis of DNAs, 85, 107
Flavin-containing polymer, oxidation of nitromethane by carbanion, 2757
Flavin derivative of $tRNA^{Phe}$, synthesis and conformational studies of, 2909
Flexibility
of poly(A) in solution, 1629
of the chain-ends of oligopeptides, 11
Flow birefringence, low-shear studies of T2 DNA by, 919
Flow linear-dichroism studies of T7 bacteriophage DNA, 1235
Fluorescence anisotropy decay of ethidium intercalated in DNA, 1939
Fluorescence correlation spectroscopy in flowing systems, 361
Fluorescence decay curves, in studies of end chain motion in oligopeptides, 11
Fluorescence decay kinetics, for oligopeptides carrying luminophores, 2459
Fluorescence depolarization studies of pyrene–butyryl–fumarase, 2373
Fluorescence studies
of ϵApϵA, 1361
of co-oligopeptides containing Trp, 167
of DNA–phenanthridinium derivative complexes, 1469
of energy transfer between oligopeptide chain ends, 11
of EtdBr–$tRNA^{Phe}$ binding, 1793
of (L-Lys)$_m$-(L-Ala)$_n$-L-Tyr-(L-Ala)$_n$-(L-Lys)$_m$, 327
of $tRNA^{Phe}$ derivatives, 2909
Fluorophores in conformational studies of $tRNA^{Phe}$, 2909
Folding process simulation, in globular proteins, 1531
Folding studies, of ribonuclease A, 1669
Fractionation of proteoglycan, 759
Fragment condensation, in synthesis of block oligopeptides, 325
Free energy distributions, of ligand binding to heterogeneous receptor population, 1075
Free energy of transfer denaturation, 2041
Frictional coefficient, calculated for multisubunit proteins, 1605
Fucose-binding protein, conformational studies, 2107
Fumarase–pyrene–butyryl, conformational studies of, 2373

Galactomannans, hydrodynamic properties of, 2817
Gallichrome peptides, ^{1}H-nmr studies of, 617, 637
Geometry of sugar–phosphate–sugar complex, 67
Ge surfaces, study of antibody–antigen films on, 1273
Global minimum, calculated for globular proteins, 1373
Globular proteins, calculation of global minimum, 1373
Glycerols, deuterated, synthesis of, 2361
Glycosaminoglycans, acidic interaction with partially *N*-acylated chitosans, 805
Glycosaminoglycan-quaternary ammonium complexes, thermodynamics of partition in two-phase solutions, 2601
Gly-Gly, studies of intramolecular motions by nmr, 2445
Gly$_2$-X-L-Ala tetrapeptides, ^{13}C-nmr studies, 2133
Gly-Gly-Sar and Gly-Sar-Gly, *cis/trans* peptide-bond isomerism, 247
Gly, Trp, and Gly, Trp, Phe co-oligopeptides, fluorescence studies, 167
$(Glu^{60}Ala^{30}Tyr^{10})_n$, molecular-weight dispersion of, 527
Glucagon-selective analogs of somatostatin, synthesis of, 1927
Glucitol hexaacetate in studies of biosynthesis of bacterial cellulose, 2361
Glucose oligomers, conformational studies by CD, 1439
GMP, Raman studies of, 1347
5′-dGMP-actinomycin D complex, binding studies of, 1891
dGMP–Au(III) complexes, studies of, 709
dGpdC and dGpdG, potential energy calculation for, 1485
GpG, aggregation studies by spectroscopic methods, 1335
Grafted polypeptide, DNA complex, binding of actinomycin D, 1747
Gramicidin S and analogs, synthesis and conformational analysis of, 1549

Gravimetric studies, of water fixation in collagen, 2799

5-Halouracils, uv photoelectron studies, 1523
Hartree–Fock energies, for conformational analysis of sugar–phosphate–sugar complex, 33
Heat of precipitation of poly(L-Pro) and poly(L-Hyp), 1381
Helicity content, in ribonuclease S′ complexes, 2525, 2545
α-Helix
  in poly(L-Lys), 1405
  rigidity of in poly(L-Glu), 593
Helix–coil transition
  in basic polypeptides, 2587
  in CNBr treated collagen, 511
  in DNA analogs, 2633
  in poly(dA) and poly(rA), 315
  in poly[A($e^{2'}$)] and poly[A($m^{2'}$)], 315
  in poly(ε-carbobenzoxy-L-Lys), 665
  in poly(Lys), 2427
Helix–coil transition, analysis, in oligonucleotides, 159
Helix–coil transitions, computated in nucleoprotein, 957
Helix–coil transition, effect of Mg(II) on, in DNA, 1103
Helix, flexible, calculation of linear dichroism in magnetic field, 1811
Helix lengthening, of DNA upon intercalation with drugs, 873
Hemerythrin, studies of hydrodynamic properties, 1605
Hemoglobin, nonideality in solution of, 2285
Hemoglobins A and S, diffusion coefficient studies, 1581
High-dilution oxidation, in formation of disulfide bonds, 1927
High-Gly-Tyr proteins, location and function in keratins, 2743
L-His-L-Asp, conformational studies, 1129
Histograms, of distribution of collagen fibril diameter, 843
Histone H, –DNA complex, binding of actinomycin D, 1747
β-^{2}H-labeled diastereoisomers of Phe, in side-chain conformation studies, 2265
Homogeneity studies, by sedimentation boundary analysis, 1387
Homo-oligopeptides
  ir studies of, 2225
  of γ-branched amino acids, 1713
Human γ-immunoglobulin (IgG), compressibility of, 817
Hyaluronic acid
  conformational studies, 1323
  spectroscopic studies of solution flow, 1567
Hyaluronic acid–Cu(II) complexes, conformational studies of, 2415
Hybrid cross-linked polypeptide, synthesis of, 573
Hydration studies of alkaline earth salts of poly(Glu), 2309
Hydrodynamic properties
  of bacteriophage T7 DNA–MeHgOH complexes, 605
  of extended tail fibers in T-even bacteriophage, 2689
  of galactomannan solutions, 2817
  of MS2-virus, 2039
  of proteoglycan, 759
  of T7 phage DNA, 1235
  of xanthan and CMC, 2663
Hydrodynamic properties, calculation of multisubunit proteins, 1605
Hydrogen bond, polarizability of, in poly(L-His)–carboxylic acid system, 1285
Hydrogen–deuterium exchange in collagen-like triple helix formations
  in oligopeptides, 1215
  in polytripeptides, 1197
Hydrolysis studies, catalysis by polymeric imidazole, 1679
Hydrophobic mechanism in elastin, 677, 697
Hysteresis effect, in poly(A)·2 poly(U), 2897

IDP–Cu(II) complex, studies by CD, 1423
IgG interaction, with films of albumins on an aqueous–Ge interface, 1273
L-Ile oligopeptides, ir studies of, 2225
Imidazole, polymeric, in hydrolysis of *p*-nitrophenylacetate, 1679
Immunoglobulins, prediction of secondary conformation, 555
Independent-segment mean-force model for internal motions in DNA, 425
Intensity fluctuation spectroscopy studies, of tRNA, 2643
Interchain compositional heterogeneity in copolypeptides prepared from NCAs, 2835, 2851
Interface, air–water, adsorption of biopolymers to, 1759
Internal motions in DNA, 425
Internal rotation barriers, in sugar–phosphate–sugar complex, 33
Intramolecular energy
  for polydeoxyribonucleotides, 67
  for sugar–phosphate–sugar complex, 51

Intramolecular motions, of peptides in solution, 2445
Intrinsic viscosity, calculated of multisubunit proteins, 1605
Ionization potentials, π, of 5-halouracils, 1523
Iron-coordinated water, in myoglobin, 1957
ir studies
  of Aib containing peptides, 1693
  of alkaline earth salts of poly(Glu), 2309
  of association in Leu dipeptides, 1149
  of Au(III) complexes with dAMP, dGMP and DNA, 709
  of collagen-like triple helix formation in oligopeptides, 1215
  of homo-oligopeptides of γ-branched amino acids, 1713
  of homo-oligopeptides of L-Phe, L-Ile, and L-Val, 2225
  of 1-methylcytosine, 2581
  of poly[d(A-T)]·poly[d(A-T)], 2319
  of poly(dA)·poly(dT), 2319
  of poly[L-Glu(OBzl)^{29},L-Val^{71}], 2851
  of poly(L-His)–carboxylic acid system, 1285
  of poly(L-Lys, L-Tyr), 199
  of poly(Pro-Gly-Phe), 2097
  of polytripeptides, 1197
  of poly(L-Tyr-L-Lys$_n$), (n = 1,2,3), 1837
  of side chain rotamer population in model peptides, 2265
  of unordered polypeptides, 2475
Isoenzymes, comparison of laser Raman spectra, 181
Isopoly(Lys), synthesis of and study of conformational transitions in, 2427

Karl Fischer reagent, in determination of water content of myoglobin, 1957
Karplus curve, of vicinal proton coupling constants in ferrichrome peptides, 617, 637
Keratins, studies of structural and mechanical properties of, 2743
β-Ketoamide chromophore, optical activity of in polypeptides, 1003
Kinetics of denaturation, of egg albumin by alcohols, 2121
Kinetic study
  of denaturation and reduction of lysozyme, 2159
  of GpG aggregation, 1335
  of helix–coil transition in DNA analogs, 2633
  of p-nitrophenylacetate hydrolysis, 1679
  of oxidation of NADH by flavopolymer, 1657
  of ribonuclease A folding, 1669

Labeled, grafted polypeptide–DNA complex, actinomycin D binding, 1747
Labeled Phe residues in model peptide, synthesis and conformational studies, 2265
β-Lactoglobulin, adsorption of, at air–water interface, 1759
Lanthanide-ion probe method, in conformational studies of 5′-UMP, 267
Lattice model, conformational properties of proteins, 1531
Linear dichroism (LD), calculation of, for flexible helix in magnetic field, 1811
LD studies
  of DNA–methyl green complexes, 523
  of hyaluronic acid, 1567
Lectins, conformational studies, 2107
Ligand binding, to heterogeneous receptor population, energetics of, 1075
Ligand–macromolecule binding, thermodynamics of, 1773
Ligation of nicked SV40 DNA in PEG, 237
Light scattering-band electrophoresis method, in phage population studies, 2015
Light-scattering studies
  of amylose in water, 985
  of CMC, 2663
  of depolarization and molecular-chain flexibility, 1
  of diffusion of phages, 2001
  of DNA, 425
  of HbA and HbS solutions, 1581
  of pectin and pectic acid, 2885
  of poly(A)·2poly(U), 2897
  of poly(L-Lys) in presence of salts, 1041
  of polysaccharide, 251
  of proteoglycan, 759
  of tRNA, 2643
  of TMV, 2753
  of xanthan, 2663
Linear renaturation analysis in DNA, 2057
Lipids monolayers, negative adsorption of proteins to, 1513
Local interaction calculation in proteins, 1849, 1871, 1885
Long range interactions studies, in oligopeptide chains, 2459
Luminophores in oligopeptide chain, studies of energy transfer process, 2459
(L-Lys)$_m$-(L-Ala)$_n$-L-Tyr-(L-Ala)$_n$-(L-Lys)$_m$, conformational studies of, 337
(L-Lys)$_m$-(L-Ala)$_n$-L-Tyr-(L-Ala)$_n$-(L-Lys)$_m$, synthesis of, 325
Lys-containing polypeptide–DNA complexes, binding of actinomycin D, 1747
Lysinonorleucine, potential of, in cross-linking, 1119

Lysozyme
adsorption of, at air–water interface, 1759
denaturation and reduction of, 2159
measurement of water content in, 291
three-dimensional lattice model for, 1531

Macromolecules
analysis of cooperative phenomena in, 481
studies of thermally induced melting profile, 463
turbidity studies, 2241
Macromolecules, ligand binding, thermodynamics of, 1773
Macromolecules, rigid, analysis of the viscoelasticity of, 2291
Magnetic field, linear dichroism of flexible helix in, 1811
Magnetic relaxation of proton, in homopolypeptides, 1913
Malformin A, conformational studies, 1175
Mass spectroscopy studies, of biosynthesis of bacterial cellulose, 2361
Maltose oligomers, conformational studies by CD, 1439
Mechanical relaxation studies
of alkaline earth salts of poly(Glu), 2309
of elastin, 213
Mechanistic studies of copolymerization of α-amino NCA, 2835, 2851
Melting curves
of CNBr peptides derived from collagen, 511
of DNA–Mg(II) system, 1103
Melting curves, computated, of nucleoproteins, 957
Melting studies
of CNBr peptides derived from collagen, 511
of ϕX174 DNA and its fragments, 2933
of GpG, 1335
of tRNA, 2643
of $tRNA^{Phe}$, 1257
Melting profiles, in macromolecules induced thermally, 463
Membrane surfaces, competitive interaction with proteins, 1513
Metal complexes of poly(α-amino acids), conformational studies, 1003
N-methylacetamide, deuterated Raman studies of, 1405
10-Methylacridine–DNA complexes, binding studies of, 2485
N-methylation of poly[Glu(OMe)], 2519
Methylation, selective, of DNP derivatives of gramicidin S, 1549
1-Methylcytosine, crystal structure of, 2581
Methyl green, induces renaturation of DNA, 523
Methylmercurations, effects on bacteriophage T7 DNA, 605
Mg(II), effect on helix–coil transition in DNA, 1103
Microfibrils, in elastic fibers and collagen fibril, 843
Minimum energy conformations
of Ac-Ala-X-NHMe and Ac-X-Ala-NHMe dipeptides, 1849
of Ac-Gly-X-NHMe and Ac-X-Gly-NHMe dipeptides, 1871
of Ac-Ser-X-NHMe and Ac-X-Ser-NHMe dipeptides, 1885
Mixed sequences, analysis of random populations of, 2865
MO, calculation of cytosine and its 5- and 6-aza derivatives, 887
Modifications, of poly[L-Glu(OEt)] in solid state films, 2715
Molar rotation studies
of Boc-Gly-Met_n-OMe, (n = 1–6), 2199
of Boc-Val-Met_n-OMe, (n = 1–6), 2189
of co-oligopeptides of Met and Gly, 2199
Molecular associations, studies by vectoral analysis of CD spectrum, 1065
Molecular chain flexibility, studies by light scattering spectroscopy, 1
Molecular motions study, in homopolypeptides, 1913
Molecular weight determination of C-1 meningococcal polysaccharide, 251
Molecular weight dispersion, of $(Glu^{60}\text{-}Ala^{30}Tyr^{10})_n$, 527
Monodeoxynucleotide actinomycin D complexes, binding and structural studies, 1891
Monte Carlo simulation
of amylosic chain conformation, 2617
of binding experiments, 1075
of protein folding and fluctuation, 1531
of random-coil generation in oligopeptide chain, 2459
Multisubunit proteins, calculated intrinsic viscosity of, 1605
Multistate transition, analysis of, 463
Myoglobin
binding of azide ion to, 2047
conformational wheel for, 1595
strongly held water in, 1957

NADH, oxidation by riboflavin attached to polyethylenimine, 1657
NCA, in preparation of copolypeptide of Glu(OBzl) and Val, 2835, 2851
Nearest-neighbor interactions in peptides having β-sheet structure, 2033

Net coiling of ligase-treated DNAs in PEG, 237
Nitromethane carbanion, oxidation by flavin containing polymer, 2757
p-nitrophenylacetate, hydrolysis by poly(L-His-L-Ala-L-Glu), 1679
^{13}C-nmr studies
  of basic polypeptides, 2587
  of *cis-trans* isomerism in tripeptides containing Gly-Sar, 247
  of conformers in oligoprolines, 2761
  of cyclic hexapeptides, 115, 2747
  of intramolecular motion in peptides, 2445
  of linear tetrapeptides H-Gly$_2$-X-L-Ala-OH, 2133
  of polymeric models of elastin and intermediates, 573
  of spin-lattice relaxation times of cyclic hexapeptides, 115
  of Thr, Ser, Asp, and His linear and cyclic dipeptides, 1129
  of 5′-UMP, 267
^{1}H-nmr studies
  of Aib containing peptides, 1693
  of alumichrome, 2727
  of α-amanitin, 1973
  of association in Leu dipeptides, 1149
  of biosynthesis of bacterial cellulose, 2361
  of cobaltichrome peptides, 637
  of conformers in oligoprolines, 2761
  of *cyclo*(Aze)$_n$, (n = 2,3), 2401
  of ferrichrome, peptides and their Al^{3+} and Ga^{3+} analogs, 617
  of poly(G), 749
  of poly(Pro-Gly-Phe), 2097
  of side chain rotamers in Phe-containing model peptides, 2265
  of Thr, Ser, Asp and His linear and cyclic dipeptides, 1129
  of 5′-UMP, 267
^{15}N-nmr studies
  of alumichrome, 637, 2727
  of alumichrome A, 637
  of intramolecular motion in peptides, 2445
  poly(Lys) and isopoly(Lys), 2427
^{31}P-nmr studies, of poly(G), 749
NOE studies
  in basic polypeptides, 2587
  in Gly-Gly, 2445
  in poly(Lys) and isopoly(Lys), 2427
Nonbonded interaction, in sugar–phosphate–sugar complex, 33
Nonideality, in concentrated solutions of hemoglobin, 2285
Nonradiative energy transfer studies, in oligopeptide chains, 2459
Nucleation process, simulation, in globular proteins, 1531
Nucleic acid base-pair stacking interactions, 2341
Nucleoproteins, calculated helix–coil transitions in, 957
Nuleoprotein models, studies of actinomycin D binding, 1747
Nucleoside monophosphates, spin-lattice relaxation times of 5′-UMP, 267

Oligocytidylate-T7 DNA, excluded-site system studies in, 2171
Oligonucleotides, analysis of helix–coil transition in, 159
Oligopeptides
  of valine, conformational studies, 125
  studies of Brownian motion of chain ends of, 11
Oligopeptides, block
  conformational studies of, 337
  synthesis of, 325
Oligopeptide, collagen related, conformational studies, 1215
Oligoprolines, *cis-trans* isomerization in, 2761
Optical anisotropy, of T-even bacteriophages, 2689
Optical purity studies by molar rotation, 2189
Opticohydrodynamic studies of T2 DNA, 919
Ordinary-to-extraordinary phase transfer in poly(L-Lys), 1041
ORD studies
  of bacterial capsular polysaccharides, 731
  of DNA–acridine dye complexes, 2485
  of gramicidin S and analogs, 1549
  of hyaluronic acid, 1323
  of poly(ϵ-carbobenzoxy-L-Lys), 665
[Orn^{10}]-S-peptide analogs, binding and conformational studies, 2525
Ovalbumin, cross-links in and rheological studies of, 225
Oxidation
  of NADH by polymer-bound riboflavin, 1657
  of nitromethane carbanion by flavin containing polymer, 2757
Oxygenation of Co(II) protoporphyrin IX dimethylester-copoly[4-vinyl-pyridine-styrene] complexes, 191
Oxygen binding studies of polymer–Co(II) porphyrin complexes, 651

Packaging process, in T-even bacteriophage DNA, 785
Palindromic base sequence in mRNAs, 1815

Partition studies, in biphasic solutions of glycosaminoglycan–quaternary ammonium complexes, 2601
Pectic acid, light scattering studies of, 2885
Pectin, aggregation of, 2885
PEG, net coiling of ligase-treated DNAs, 237
Pepsin catalyzed peptide synthesis, 2573
S-peptide analogs
  binding and conformational studies, 2525, 2545
Peptides
  nondestructive determination of sulfoxide groups in, 2703
  study of intramolecular motions in, 2445
  synthesis catalyzed by pepsin, 2573
Peptidoglycans, effect of substitutions in the peptide on conformation of, 2251
Peptidoglycan transpeptidase, specificity of, 2251
Persistence length
  in α-helical poly(L-Glu), 593
  evaluation of in T2 DNA, 919
Persistence vector, for the amylosic chain, 2617
pdG-dA-Actinomycin D complex, binding studies of, 1891
Phenanthridinium derivatives–DNA complexes, conformational studies, 1469
Phe-NCAs, stereoselective polymerization studies, 2561
Phe-NHMe, synthesis of and side chain conformation studies of, 2265
L-Phe oligopeptides, ir study of, 2225
Phe residue side-chain conformation in model peptides, 2265
Phe, Trp, Gly cooligopeptides, fluorescence studies, 167
Photochromism of azo groups bound to poly(L-Glu), 799
Photon correlation spectroscopy studies
  of diffusion coefficients in HbA and HbS, 1581
  of MS2 virus, 2039
  of tRNA, 2643
  of rotational and translational diffusion of tRNA, 2643
β-pleated sheet conformation, content in lectins, 2107
Polarizable proton-transfer hydrogen bonds in poly(L-His)-carboxylic acids system, 1285
Poly(A), electrical dichroism of, 1629
Poly[A($e^{2'}$)], poly[A($m^{2'}$)] and poly(dA), molecular states of, 315
Poly(rA)
  molecular states of, 315
  structural and conformational studies, 969
Poly[d(A-A-T)·d(A-T-T)], CD studies of, 85
Poly[L-A_2bu(Acad)]–Cu(II) chelates, conformational studies, 1003
Poly(L-A_2bu)–pyridoxal–Cu(II) complexes, conformational studies, 909
Poly(L-A_2bu)–pyridoxal Schiff bases, conformational studies, 897
Poly[d(A-C)·d(G-T)], CD studies of, 85
Poly[d (A-G-C)·d(G-C-T)], CD studies of, 85
Poly[d(A-G)·d(C-T)], CD studies of, 85
Poly[d(A-G-G)·d(C-C-T)], CD studies of, 85
Poly(L-Ala), molecular motion studies in, 1913
Poly(L-Ala), α-helical conformational energy calculation of D/L contiguous to, 937
Poly(Ala-Hyp-Hyp), conformational studies by ir, 1197
Poly(dA)·poly(dT), ir dichroism studies of, 2319
Poly(A)·2poly(U), hysteresis effect in, 2897
Poly(Ala-Pro-Pro), conformational studies by ir, 1197
Poly(L-Ala^n,L-Val^{100-n}), conformational studies, 125
Poly(L-Arg)
  conformational studies of, 2769
  helix–coil transition studies, 2587
Poly(L-Arg)-AMP, excluded-site systems studies in, 2171
Poly(L-Arg)–polyanion complexes, conformational studies of, 2769
Poly(dA-dT), conformational transition studies in, 2633
Poly[d(A-T)·d(A-T)], CD studies of, 85
Poly[d(A-T)]·poly[d(A-T)], ir dichroism studies of, 2319
Poly(A)·poly(U), thermodynamics of thermally induced double-to-single strand transition, 497
Poly[d(A-T-C)·d(G-A-T)], CD studies of, 85
Poly(ϵ-carbobenzoxy-L-Lys), helix-coil transition in, 665
Polydeoxyribonucleotides, conformational analysis of, 67
Poly(L-DOPA), synthesis of, 2939
Polyelectrolyte complexes, preparation and study of interaction in, 805
Polyelectrolytic behavior, of bacterial polysaccharide, 2663
Polyelectrolyte solutions
  electrophoretic mobilities in, 1249
  studies of transport phenomena in, 413
Polyethylenimine substituted with riboflavin, synthesis and oxidations of NADH, 1657
Poly(G), studies of dynamic properties of, 749
Poly(dG-dC), conformational transition studies in, 2633

Poly[d(G-C)-d(G-C)], CD studies of, 85
Poly[Gln$(CH_2)_2$OH], conformational studies of, 2029
Poly(L-Glu)
conformational analysis by Raman spectra, 1405
containing azo chromophores, 799
Raman studies of α, β, and β_2 forms, 1729
studies of the α-helical conformation, 593
Poly(Glu-Ca^{++}), poly(Glu-Mg^{++}), and poly(Glu-Sr^{++}), hydration, conformation, and mechanical relaxation studies of, 2309
Poly[Glu(OBzl),^{50}Val^{50}], synthesis and analysis of, 2835
Poly[L-Glu(OBzl)^n,L-Val^{100-n}], synthesis and conformational studies of, 2851
Poly[L-Glu(OEt)], solid state modifications of, 2715
Poly(L-Glu^{n}L-Val^{100-n}), studies of α-β_2 transition in, 1729
Poly(Gly), molecular motion studies in, 1913
Poly(Gly-Ala-Hyp), conformational studies by ir, 1197
Poly(Gly-Ala-Pro), conformational studies by ir, 1197
Poly(Gly-Hyp-Hyp), conformational studies by ir, 1197
Poly(N^ϵ-[^{14}C]-Gly-Lys^{3}Lys^{27}Ala^{70}), preparation and studies of binding of actinomycin D to its complex with DNA, 1747
Poly(Gly-Pro-X), conformational studies by ir, 1197
Poly(Gly-Pro-Hyp), conformational studies by ir and x-ray diffraction, 1197
Poly(L-His-L-Ala-L-Glu), in hydrolysis of *p*-nitrophenylacetate, 1679
Poly(L-His)–carboxylic acid system, studies by ir spectroscopy, 1285
Poly(L-Hyp), heat of precipitation of, 1381
Poly(L-Leu), molecular motion studies in, 1913
Poly(L-Lys)
complexes with Cu(II), 243
conformational analysis by Raman spectra, 1405
helix–coil transiton studies, 2587
studies of Brownian motion in, 1041
study of conformational transitions in, 2427
Poly(L-Lys)–pyridoxal–Cu(II) complexes, conformational studies, 909
Poly(L-Lys)– pyridoxal Schiff bases, conformational studies, 897
Poly[L-Lys(Acac)]-Cu(II) chelates, conformational studies, 1003
Poly(L-Lys,L-Tyr), conformational studies of, 199
Poly[*N*-Me-Glu(OMe)], synthesis and conformational studies, 2519
Polymer-bound flavin, in oxidation reactions, 2757
Polymer–Co(II) protoporphyrin complexes, oxygen binding studies of, 651
Polymeric-imidazole-catalysis, of *p*-nitrophenylacetate, 1679
Polymeric ligands, in Cu(II) complexes, 1003
Polymyxin B, adsorption studies of, 1513
Polynucleotides, helical structures, conformational energy calculation of, 1015
Poly(L-Orn), helix–coil transition studies of, 2587
Poly(L-Orn)–pyridoxal–Cu(II) complexes, conformational studies of, 909
Poly(L-Orn)–pyridoxal Schiff bases, conformational studies of, 897
Poly[L-Orn(Acac)]–Cu(II) chelates, conformational studies of, 1003
Polypeptides, adsorption studies by ellipsometry, 1759
Polypeptides, helical, calculation of dipole–dipole interaction in aggregates of, 811
Polypeptide, hybrid cross-linked, synthesis of, 573
Polypeptides, random-sequence, molecular-weight dispersion in, 527
Polypeptides, unordered, amide I mode frequency in, 2475
Poly(L-Pro), heat of precipitation of, 1381
Poly(Pro-Gly-Phe), conformational studies of, 2097
C-polysaccharide, light scattering studies of, 251
Polysaccharide solution conformation, studies by Monte Carlo methods, 2617
Polysaccharide solution properties, 2885
Poly(L-Tyr-L-Lys$_n$), n = 1–3
conformational studies of, 1837
synthesis of, 1827
Poly(L-Val)
conformational studies of, 125
molecular motion studies in, 1913
Polyvinyl alcohol, adsorption of, at air–water interface, 1759
Potential energy calculation, of deoxydinucleoside monophosphates of A and T, 533
Potential function, optimized, for base-pair stacking in nucleic acids, 2341
Potentiometric studies of acetoacetylated poly(α,ω-diamino acids), 1003

Potentiometric titration studies
of Cu(II)–hyaluronic acid complexes, 2415
of DNA analogs, 2633
of poly(L-Lys, L-Tyr), 199
Poiseuille flow, fluorescence correlation spectroscopy in studies of, 361
Pr^iCO-Leu-NHMe and Pr^iCO-Leu-$NHPr^i$, stereoselective association studies, 1149
Pressure coefficient, standard, studies of, in proteins, 817
Proflavin-α-chymotrypsin, binding studies of, 1773
Protein
compressibility studies of, 817
effects of local interactions on structure, 1849
free energy transfer of denaturation, 2041
palindromic base sequences in mRNA, coding for, 1815
Protein fluctuation and folding studies, by computer simulation, 1531
Protein gels, studies of crosslinks in, 225
Protein–ligand binding, studies by thin film dialysis, 837
Protein–nucleic acid interaction studies, by conformational analysis, 377
Protein synthesis, with fluorophore carrying $tRNA^{Phe}$, 2909
Protein, unordered, amide I mode frequency in, 2475
Proteoglycan, fractionation and physical characterization of, 759
Protonation induced, single- to double-stranded transition in poly(rA), 969
Proton spin-lattice relaxation time, in homopolypeptides, 1913
Proton transfer, in poly(L-His)–carboxylic acid system, 1285
pdT-dG-Actinomycin D complex, binding studies of, 1891
Pyrene–butyryl–fumarase, conformational studies of, 2373
Pyridoxal–polypeptide–Cu(II) complexes, conformational studies of, 909
Pyridoxal Schiff bases of polypeptides, conformational studies of, 897

Radial distribution functions, for amylosic chain, 2617
Radial flow birefringence studies, of hyaluronic acid, 1567
Radioactivity profile of substituted DNA, computer simulation studies, 2865
Radius of gyration of C-1 meningococcal polysaccharide, 251
"Random coil" model, studies by ^{13}C-nmr, 2133
Random network model for elastin, 677, 697
Raman spectroscopy studies
of GpG, 1335
of nucleic acid derivatives in the uv region, 1347
of poly(rA) solutions, 969
of poly(L-Lys) and poly(L-Glu), 1405
of unordered polypeptides, 2475
Raman spectroscopy studies, laser
of acid phosphatase, 181
of copolymers of L-valine with L-alanine, 125
of α, β, and β_2 forms of poly(L-Glu), 1729
of α-β_2 transitions in poly(L-Glu, L-Val), 1729
of L-Val oligo- and polypeptides, 125
Reactivity ratio, of NCAs in copolymerization, 2835, 2851
Receptor affinity heterogeneity studies, 1385
Receptors, heterogeneous population thermodynamics of ligand binding, 1075
Reduction studies of disulfide in lysozyme, 2159
Refractive index tensor for hyaluronic acid solutions, 1567
Relaxational behavior of rigid macromolecule, 2291
Relaxation effects, in polyelectrolyte solution, 413
Relaxation process
in peptide studies by nmr, 2445
in single-stranded adenylate chains, 315
Relaxation studies, dielectric of DNA, 1507
Relaxation time, of ^{13}C spin-lattice in cyclic hexapeptides, 115
Relaxation-time constants in single-stranded adenylate chains, 315
Renaturation, of DNA by methyl green, 523
Resolution enhancement technique, application to studies of ferrichrome peptides, 617
Retroenantio-Met enkephalin, conformational energy calculations, 2609
Rheological characteristics of ovalbumin, 225
Riboflavine bound to polyethylenimine, synthesis and oxidation of NADH, 1657
Ribonuclease A
binding to $tRNA^{Phe}$ substituted by fluorophores, 2909
calorimetric studies of unfolding, 463
folding studies, 1669

Ribonuclease S, conformational wheel for, 1595
Ribonuclease S′, conformational studies of, 2525, 2545
Ribonuclease S′ complexes, conformational and binding studies, 2545
Ribosome, conformational studies of $tRNA^{Phe}$ derivatives bound to, 2909
RNA subunits, solvent accessibility studies, 2503
mRNAs, palindromic base sequences in, 1815
tRNA, melting process studies by photon-correlation spectroscopy, 2643
$tRNA^{Phe}$
  conformational studies of, 2909
  thermal unfolding studies of, 1257
Rotamer population about C^{α}-C^{β} bonds of Ac-Phe-OH and H-Phe-NHMe, 2265
Rotational diffusion studies in tRNA, 2643
Rotating frame relaxation experiments for peptide, 2445
Rouse–Zimm model for internal motions in DNA, 425
RP-HPLC, in analysis of somatostatin and analogs, 1927

Sar-Gly-Sar, *cis-trans* peptide-bond isomerism, 247
Scatchard plots
  for receptor affinity heterogeneity, 1385
  in studies of molecular complexes, 2171
Schiff base, through ϵ-amino group of Lys, 1119
Secondary amine, initiators in Phe-NCA polymerization, 2561
Sedimentation coefficients
  calculated by boundary analysis, 1387
  of multisubunit proteins, 1605
Sedimentation equilibrium studies, of amylose in water, 985
Sedimentation studies
  of bacteriophage T7 DNA–MeHgOH complexes, 605
  of concentrated hemoglobin solutions, 2285
  of cytochrome c, 943
  of ligated SV 40 DNA, 237
Sedimentation profile, simulation by computer, 2865
Sedimentation velocity studies, of fiber-reorientation transition in T2L bacteriophage, 1987, 2001
Self-association studies
  in group C meningococcal polysaccharide, 251
  in homo-oligopeptides of Phe, Val, and Ile, 2225
  in Cu(II)–mononucleotide complexes, 1423
L-Ser-L-His, conformational studies of, 1129
Serum albumins, interaction with antiserum to RSA, spectroscopic studies, 1273
β-sheet
  characterization of amino acid distribution in, 2033
  in poly(L-Lys), 1405
  prediction of, in immunoglobulins, 555
Side-chain, aromatic, contributions for far uv CD spectra in peptide and proteins, 1451
Side-chain conformation, of cyclic and linear dipeptides, 1129
Simulation of initial distribution pattern in substituted DNA, 2865
Single-to-double-stranded transition, in poly(rA), 969
Solid phase synthesis, of somatostatin and analogs, 1927
Solid state studies, of molecular motions in homopolypeptides, 1913
Solubility, of amino acids, 1091
Solute–solvent interaction, influence on L-His side chain conformation in dipeptides, 1129
Solvation shell model, in estimation of peptide groups exposure, 1601
Solvent accessibility studies, to dimeric subunits of RNA and DNA, 2503
Solvent denaturation of macromolecules, thermodynamic studies of, 1305
Solvent dependence of $^{3}J_{\alpha\beta}$, 2265
Solvent viscosity, effects on ribonuclease A folding, 1669
Somatostatin and analogs, solid phase synthesis of, 1927
Sonification of substituted DNA, computer simulation studies, 2865
Spectral titration studies, of actinomycin D-nucleotide complexes, 1891
Spermine, binding to $tRNA^{Phe}$ substituted by fluorophores, 2909
Spin populations, contribution to thermodynamics of azide ion binding to myoglobin, 2047
Spin lattice relaxation process, ^{1}H and ^{13}C, in peptides, 2445
Spin-lattice relaxation studies, ^{1}H and ^{31}P, in poly(G), 749
Spin-lattice relaxation studies, ^{13}C, of basic polypeptides, 2587
Stabilizing forces in β-sheet structures of proteins, 2033

Stereoselective polymerization studies, of Phe-NCAs, 2561
Stereospecificity, in pepsin catalyzed peptide synthesis, 2573
Stopped-flow kinetic studies, of DNA analogs, 2633
Stopped-flow technique, in folding studies of RNase A, 1669
β-Structure, in poly(L-lys)-Cu(II) complexes, 243
Sugar–phosphate–sugar complex
  conformational analysis of, 33, 51
  geometry of, 67
  intramolecular energies for, 51
Supercoiled DNA, formation of super helix of and torsional rigidity of, 1939
Supraorganization, of DNA sequences, 2057
Sulfoxide groups determination, in peptides, 2703
Swelling studies, in elastin, 697
Synthesis
  of Ac-Aib-NHMe, 1693
  of DL-α-amino heptenoic acid and peptides, 1119
  of L-azetidine-2-carboxylic (Aze) cyclic peptides, 2385
  of Boc-Met$_3$-Val-Met$_n$-OMe, (n = 2,3), 2189
  of Boc-Val-Met$_n$-OMe, 2189
  of Bu^{t}CO-L-Pro-Aib-NHMe, 1693
  of co-oligopeptides of Met and Gly, 2199
  of copoly[L-Gln$(CH_2)_3$OH,L-DOPA], 2939
  of deuterated glycerols, 2361
  of di-O,O′-acetyl-L-DOPA-NCA, 2939
  of dipeptides containing Phe residues, 2265
  of fluorophore substituted tRNA^{Phe}, 2909
  of gramicidin S analogs, 1549
  of isopoly(Lys), 2427
  of (L-Lys)$_m$-(L-Ala)$_n$-L-Tyr-(L-Ala)$_n$-(L-Lys)$_m$, 325
  of lysinonorleucine and peptides, 1119
  of peptides catalyzed by pepsin, 2573
  of poly[L-Glu(OBzl),L-Val], 2835, 2851
  of poly(Lys), 2427
  of poly[N-Me-Glu(OMe)], 2519
  of riboflavin attached to polyethylenimine, 1657
  of somatostatin, and analogs, 1927
  of poly(L-Tyr-L-Lys$_n$), (n = 1,2,3), 1827

Tail fiber configuration, in T-even bacteriophages, 2689
Temperature induced, single- to double-stranded transition in poly(rA), 969
T-even bacteriophage
  packaging of DNA in, 785
  transient electric birefringence studies of, 2689
Thermalite sequences, distributions during renaturation of DNA, 2057
Thermal denaturation
  of DNA–Mg(II) system, 1103
  of poly(rA), 969
Thermal perturbation technique
  in EtdBr–tRNA^{Phe} binding studies, 1793
  in ligand–macromolecule binding studies, 1773
Thermal transition, $\alpha \rightarrow \beta$, $\rightarrow \beta_2$, in copoly(L-Glu,L-Val), 1729
Thermal unfolding
  in macromolecules, 463
  of tRNA^{Phe}, 1257
Thermodynamic analysis
  of cooperative transitions in macromolecules, 481
  of thermally induced double- to single-strand transition in poly(A)·poly(U), 497
Thermodynamic parameters
  of amino acids, 1091
  of CNBr peptides derived from collagen, 511
  of tRNA^{Phe} unfolding, 1257
  of thermally induced melting in macromolecules, 463
  of thermal unfolding of poly(A)·poly(U), 497
Thermodynamics of partition, of chondroitin sulfate–hexadecylpyridinium complexes, 2601
Thermodynamic studies
  of azide ion–myoglobin binding, 2047
  of EtdBr–tRNA^{Phe} binding, 1793
  of proflavin-α-chymotrypsin binding, 1773
  of slow–fast transition studies in T2L phage tail-fiber, 1987
  of solvent denaturation of macromolecules, 1305
Thin film dialysis, in determination of equilibrium constants, 837
L-Thr-L-His, conformational studies, 1129
Titration curves, of S-protein with S-peptide analogs, 2525
TMV
  light scattering studies of, 2753
  studies by different transient electric birefringence, 1821
Torsional motion of DNA, 1939
dTpdA-calculation of total potential energy, 533
dTpdT
  calculation of total potential energy, 533
  potential energy calculation for, 1485

Transition in tail-fiber, of bacteriophage T2L, 1987, 2001
Translational diffusional coefficient of C-1 meningococcal polysaccharide, 251
Transport phenomena in polyelectrolyte solution, 413
Transverse compressional modules of keratins, 2743
TRF and analogs, conformational analysis of, 2679
Triple-helical conformation, of poly(Pro-Gly-Phe), 2097
Triple helix-coil transition in CNBr peptides derived from collagen, 511
Triple helix formation
  in oligopeptides related to collagen, 1215
  in polytripeptides related to collagen, 1197
Tropomyosin, difference transient electric birefringence, 1821
Trp, Gly and Trp, Gly, Phe co-oligopeptides, fluorescence studies, 167
Trp-Trp, fluorescence studies, 167
Turbidity studies
  of formation of polyelectrolyte complexes, 805
  of viruses, 2241
β-Turn, in cyclic dodecapeptides, 1601

Ultracentrifugation studies
  of amylose in water, 985
  of cytochrome c, 943
  of fiber transition in bacteriophage T2L, 2001
  of fractionated PM2-DNA, 1387
  of galactomannan solutions, 2817
  of $(Glu^{60}Ala^{30}Tyr^{10})_n$, 527
  of MS2-virus, 2039
  of poly(L-Tyr-L-Lys$_n$), (n = 1,2,3), 1837
  of slow–fast tail-fiber transition in bacteriophage T2L, 1987
  of xanthan and CMC, 2663
Ultracentrifugation studies, analytical, of protein compressibility, 817
Ultracentrifugation, mathematical simulation of sedimentation profile, 2865
Ultrasonic absorption studies of denaturation and reduction of lysozyme, 2159
5′-UMP, conformational studies, 267
UpA, calculated CD for various conformations, 857
UTP, Raman studies of, 1347
Unfolding process
  in macromolecules, 463, 481
  in poly(A)-poly(U), 497
uv-excitation, as a source for Raman spectroscopy, 1347
uv photoelectron studies, of 5-halouracils, 1523
uv spectra, calculated, for cytosine and its 5- and 6-aza derivatives, 887
uv spectral studies
  of aggregation in GpG, 1335
  of Au(III)–DNA complexes, 709
  of cytosine and its 5- and 6-aza derivatives, 887
  of poly(L-Lys,L-Tyr), 199

H-(Val-Ala-Pro-Gly-Glu-Glu-Gly)$_n$-Val-OMe, synthesis of, 573
H-(Val-Ala-Pro-Gly-Val-Gly)$_n$-Val-OMe, synthesis of, 573
L-Val oligopeptides, ir studies of, 2225
Valinomycin, conformational wheel for, 1595
van der Waals interactions, in sugar–phosphate–sugar complex, 51
Vapor pressure studies, of association in Leu dipeptides, 1149
Vectorial analysis, of CD spectra, 1065
Virus, MS2, studies by photon-correlation spectroscopy, 2039
Viruses, turbidity studies of, 2241
Viscoelasticity of macromolecules, 2291
Viscoelastomeric studies of, elastin, 213
Viscosity studies
  of Au (III)–DNA complexes, 709
  of bacteriophage T7 DNA–MeHgOH complexes, 605
  of Cu(II)–hyaluronic acid complexes, 2415
  of galactomannan solutions, 2817
  of hyaluronic acid, 1323
  of poly(L-Glu), 593
  of poly(L-Hyp), 1381
  of xanthan and CMC, 2663
Visible-excitation, as a source for Raman spectroscopy, 1347
Visible spectra studies of oxygen binding to polymer–Co(II) protoporphyrin complexes, 651

Water–collagen interaction studies, 2799
Water content in lysozyme, 291
Water, strongly held in myoglobin, 1957
Wavelength dependence of turbidity, of solutions of biological macromolecules, 2241

Xanthan, physicochemical properties of, 2663
X-ray diffraction studies
  of Aib containing peptides, 1693
  of Bu^{t}CO-L-Leu-NHMe, 1149
  of cellobiose and cellotriose acetates, 2083

of collagen-like triple helix formation in oligopeptides, 1215
of 1-methylcytosine, 2581
of poly[Gln(OEt)], 2029
of poly(Gly-Pro-Hyp), 1197
of poly(L-Tyr-L-Lys$_n$), (n = 1,2,3), 1837
of solid state films of poly[L-Glu(OEt)], 2715
X-ray photoelectron spectroscopy studies, of sulfoxide groups in peptides, 2703
Z-(Gly-Pro-Ala)$_n$-OMe, conformational studies of, 1215
Z-Gly-Pro-Gly-Pro-Gly-Gly-Pro-Pro-OMe, conformational studies of, 1215
Z-Gly-Pro-Pro-Gly-Pro-Gly-OMe, conformational studies of, 1215
Z-Gly-Pro-Pro-(Gly-Pro-Gly)$_2$-Gly-Pro-Pro-OMe, conformational studies of, 1215
Z-(Gly-Pro-Pro)$_n$-OMe, conformational studies of, 1215

BIOPOLYMERS

An International Journal of Research on Biological Molecules

Volume 17 • 1978

EDITOR

Murray Goodman, *University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD

Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*

Donald Crothers, *Department of Chemistry, Yale University, New Haven, Connecticut 06520*

Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

David R. Kearns, *Department of Chemistry, University of California, San Diego, La Jolla, California 92093*

Tatsuo Miyazawa, *University of Tokyo, Tokyo, Japan*

John Schellman, *Department of Chemistry, University of Oregon, Eugene, Oregon 97403*

ADVISORY BOARD

C. Anfinsen	G. Felsenfeld	W. Olson	H. A. Scheraga
V. Bloomfield	I. L. Karle	Y. A. Ovchinnikov	I. C. P. Smith
F. Bovey	S. Krimm	E. Peggion	I. Tinoco
D. A. Brant	J.-M. Lehn	O. B. Ptitsyn	R. W. Woody
C. Cantor	S. Lifson	G. N. Ramachandran	K. Wuthrich
J. Engel	R. H. Marchessault	R. E. Richards	C. M. Venkatachalam
G. Fasman	H. Mark	S. Sakakibara	B. H. Zimm

an Interscience® Publication
published by JOHN WILEY & SONS

© 1978 by John Wiley & Sons, Inc.

Published monthly (covering one volume per year) by John Wiley & Sons, Inc. Copyright © 1978 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1979): $242.00 per volume. Postage and handling outside U.S.A.: $18.00. Please allow four weeks for changes of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following the month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Biopolymers

Contents

Vol. 17, Issue Nos. 1–12, 1978

ISSUE NO. 1, JANUARY

A. G. SHKORBATOV, B. I. VERKIN, and I. O. KULIK: Light-Scattering and Depolarization in Biopolymers: Distinction Between Flexible Chain Models 1

E. HAAS, E. KATCHALSKI-KATZIR, and I. Z. STEINBERG: Brownian Motion of the Ends of Oligopeptide Chains in Solution as Estimated by Energy Transfer Between the Chain Ends 11

O. MATSUOKA, C. TOSI, and E. CLEMENTI: Conformational Studies on Polynucleotide Chains. I. Hartree-Fock Energies and Description of Nonbonded Interactions with Lennard-Jones Potentials 33

C. TOSI, E. CLEMENTI, and O. MATSUOKA: Conformational Studies on Polynucleotide Chains. II. Analysis of Steric Interactions and Derivation of Potential Functions for Internal Rotations 51

C. TOSI, E. CLEMENTI, and O. MATSUOKA: Conformational Studies on Polynucleotide Chains. III. Intramolecular Energy Maps and Comparison with Experiments 67

D. M. GRAY, F. D. HAMILTON, and M. R. VAUGHAN: The Analysis of Circular Dichroism Spectra of Natural DNAs Using Spectral Components from Synthetic DNAs 85

D. M. GRAY, C. S. LEE, and D. M. SKINNER: First-Neighbor Frequencies of Satellite DNAs from *Drosophila nasutoides* and *Pagurus pollicaris* from an Analysis of their Circular Dichroism Spectra 107

C.-H. NIU, L. G. PEASE, and E. R. BLOUT: Cyclic Peptides. XVIII. ^{13}C Spin-Lattice Relaxation Times of $(X\text{-Pro-}Y)_2$ Cyclic Hexapeptides 115

G. D. FASMAN, K. ITOH, C. S. LIU, and R. C. LORD: Laser-Raman Spectroscopy of Biomolecules. XI. Conformational Study of Poly(L-Valine) and Copolymers of L-Valine and L-Alanine 125

D. M. GRAY, T. N. TAYLOR, and D. LANG: Dehydrated Circular DNA: Circular Dichroism of Molecules in Ethanolic Solutions 145

M. T. RECORD, JR. and T. M. LOHMAN: A Semiempirical Extension of Polyelectrolyte Theory to the Treatment of Oligoelectrolytes: Application to Oligonucleotide Helix-Coil Transitions 159

P. WIGET and P. L. LUISI: Cooligopeptides Containing Aromatic Residues Spaced by Glycyl Residues. IX. Fluorescence Properties of Tryptophan-Containing Peptides 167

J. TWARDOWSKI: Laser Raman Spectroscopy of Acid Phosphatase from Rat Liver 181

H. NISHIDE, S. HATA, K. MIHAYASHI, and E. TSUCHIDA: Oxygenation of Cobalt(II) Protoporphyrin IX Dimethyl Ester Bound to Copolymer of 4-Vinylpyridine and Styrene 191

A. GARNIER and L. TOSI: Conformational Studies of the Copolymer Poly(L-lysine, L-tyrosine) 1:1 in Aqueous Solution 199

M. SCANDOLA and G. PEZZIN: The Low-Temperature Mechanical Relaxation of Elastin. II. The Solvated Protein 213

F. S. M. VAN KLEEF, J. V. BOSKAMP, M. VAN DEN TEMPEL: Determination of the Number of Cross-Links in a Protein Gel from its Mechanical and Swelling Properties 225

COMMUNICATIONS TO THE EDITOR

J. D. GRIFFITH: Ligation of Nicked SV40 DNA in a Polyethylene Glycol-Condensed State as a Test for Net Coiling 237

M. PALUMBO, A. COSANI, M. TURBOJEVICH, and E. PEGGION: Metal Complexes of Poly-α-Amino Acids. Interaction of Cu(II) Ions with Poly(L-lysine) in the β-Structure 243

C. M. DEBER: Role of the C-Terminal Carboxylate in Peptide Bond Isomerism ... 247

ISSUE NO. 2, FEBRUARY

Y. TSUNASHIMA, K. MORO, B. CHU, and T. Y. LIU: Characterization of Group C Meningococcal Polysaccharide by Light-Scattering Spectroscopy. III. Determination of Molecular Weight, Radius of Gyration, and Translational Diffusional Coefficient 251

F. INAGAKI, M. TASUMI, and T. MIYAZAWA: Structures and Populations of Conformers of Nucleoside Monophosphates in Aqueous Solution. I. General Methods of Conformation Search with Lanthanide-Ion Probes and Spin-Coupling Constants and Application to Uridine-5′-Monophosphate 267

P. B. RAO and W. P. BRYAN: Measurement of the Strongly Held Water of Lysozyme by Drying 291

D. PÖRSCHKE: Molecular States in Single-Stranded Adenylate Chains by Relaxation Analysis 315

R. MAYER, A. CAILLE, and G. SPACH: Block Oligopeptides (L-Lysyl)$_m$-(L-Alanyl)$_n$-L-Tyrosyl-(L-Alanyl)$_n$-(L-Lysyl)$_m$. I. Synthesis through Fragment Condensation and Characterization 325

R. MAYER, P. GAUDUCHON, G. SPACH, and P. WAHL: Block Oligopeptides (L-Lysyl)$_m$-(L-Alanyl)$_n$-L-Tyrosyl-(L-Alanyl)$_n$-(L-Lysyl)$_m$. II. Circular Dichroism and Pulsefluorimetry Conformational Studies 337

D. MAGDE, W. W. WEBB, and E. L. ELSON: Fluorescence Correlation Spectroscopy. III. Uniform Translation and Laminar Flow 361

V. B. ZHURKIN, YU. P. LYSOV, and V. I. IVANOV: Different Families of Double-Stranded Conformations of DNA as Revealed by Computer Calculations 377

A. SCHMITT, J. P. MUELLENET, and R. VAROQUI: Relaxation and Electrophoretic Effects in Polyelectrolyte Solutions. I. Salt-Free Solutions 413

S.-C. LIN and J. M. SCHURR: Dynamic Light-Scattering Studies of Internal Motions in DNA. I. Applicability of the Rouse-Zimm Model 425

E. FREIRE and R. L. BILTONEN: Statistical Mechanical Deconvolution of Thermal Transitions in Macromolecules. I. Theory and Application to Homogeneous Systems 463

E. FREIRE and R. L. BILTONEN: Statistical Mechanical Deconvolution of Thermal Transitions in Macromolecules. II. General Treatment of Cooperative Phenomena 481

E. FREIRE and R. L. BILTONEN: Statistical Mechanical Deconvolution of Thermal Transitions in Macromolecules. III. Application to Double-Stranded to Single-Stranded Transitions of Nucleic Acids 497

OE. SAYGIN, E. HEIDEMANN, and H. KLUMP: The Triple Helix-Coil Transition of Cyanogen-Bromide Peptides of the α1-Chain of the Calf-Skin Collagen 511

COMMUNICATIONS TO THE EDITOR

B. NORDÉN, S. SETH, and F. TJERNELD: Renaturation of DNA in Ethanol–Methanol Solvent Induced by Complexation with Methyl Green 523

P. A. LIBERTI and C. E. VICKERMAN: Molecular-Weight Dispersion and Variation in Incremental Composition of $(Glu^{60}Ala^{30}Tyr^{10})_n$ 527

ISSUE NO. 3, MARCH

P. THIYAGARAJAN and P. K. PONNUSWAMY: Conformational Characteristics of dApdA, dApdT, dTpdA, and dTpdT from Energy Minimization Studies 533

T. T. WU, S. C. SZU, R. L. JERNIGAN, H. BILOFSKY, and E. A. KABAT: Prediction of β-Sheets in Immunoglobulin Chains. Comparison of Various Methods and an Expanded 20 × 20 Table for Evaluation of the Effects of Nearest-Neighbors on Conformations of Middle Amino Acids in Proteins 555

K. OKAMOTO, R. S. RAPAKA, and D. W. URRY: Synthesis of Polymeric Models of Elastin: Polyhexapeptides and an Insoluble, Hybrid Cross-Linked Polypeptide 573

M. MORCELLET and C. LOUCHEUX: Rigidity of α-Helical Polypeptides. A New Method of Obtaining the Persistence Length from Viscosimetric Data 593

D. W. GRUENWEDEL and S. E. BROWN: Sedimentation and Viscosity of Bacteriophage T7 DNA in Presence of CH_3HgOH 605

A. DEMARCO, M. LLINÁS, and K. WÜTHRICH: Analysis of the ^{1}H-NMR Spectra of Ferrichrome Peptides. I. The Non-Amide Protons 617

A. DEMARCO, M. LLINÁS, and K. WÜTHRICH: Analysis of the ^{1}H-NMR Spectra of Ferrichrome Peptides. II. The Amide Resonances 637

E. HASEGAWA, T. KANAYAMA, and E. TSUCHIDA: Adsorption of Molecular Oxygen by Polymer Covalently Bonded Co(II) Porphyrin Complex in Toluene 651

N. NISHIOKA, A. MAEKAWA, and A. TERAMOTO: Solution Properties of Synthetic Polypeptides. XXI. Solvent Effect on the Helix-Coil Transition of Poly(ϵ-carbobenzoxy L-lysine) 665

J. M. GOSLINE: Hydrophobic Interaction and a Model for the Elasticity of Elastin 677

J. M. GOSLINE: The Temperature-Dependent Swelling of Elastin 697

C. K. S. PILLAI and U. S. NANDI: Interaction of Metal Ions with Nucleic Acids and Related Compounds. II. Studies on Au(III)-Nucleic Acid System 709

CH. WOLF, U. ELSÄSSER-BEILE, S. STIRM, G. G. S. DUTTON, and W. BURCHARD: Conformational Studies of Bacterial Polysaccharides. II. Optical Activity of Some Bacterial Capsular Polysaccharides 731

A. YAMADA, K. AKASAKA, and H. HATANO: Dynamic Structure of Polyriboguanylic Acid in Neutral Aqueous Solution. A Proton and Phosphorus-31 NMR Study 749

R. G. KITCHEN and R. L. CLELAND: Dilute Solution Properties of Proteoglycan Fractions from Bovine Nasal Cartilage 759

S. C. RIEMER and V. A. BLOOMFIELD: Packaging of DNA in Bacteriophage Heads: Some Considerations on Energetics 785

COMMUNICATIONS TO THE EDITOR

V. M. PAVLOV and YU. L. LYUBCHENKO: A New Method for Recording of DNA Differential Melting Curves 795

J. L. HOUBEN, O. PIERONI, A. FISSI, and F. CIARDELLI: Optical Activity and Photochromism of the Azo Chromophore Bound to Poly(L-Glutamic Acid) 799

S. HIRANO, C. MIZUTANI, R. YAMAGUCHI, and O. MIURA: Formation of the Polyelectrolyte Complexes of Some Acidic Glycosaminoglycans with Partially *N*-Acylated Chitosans 805

G. WEILL and J. J. ANDRÉ: Dipole–Dipole Interaction and the Relative Stability of Different Types of Aggregates of Helical Polypeptides 811

ERRATUM

G. BHAT, A. C. ROTH, and R. A. DAY: Extrinsic Cotton Effect and Helix-Coil Transition in a DNA-Polycation Complex 815

ISSUE NO. 4, APRIL

D. S. SHARP, N. FUJITA, K. KINZIE, and J. B. IFFT: Compressibility Studies of Three Proteins in CsCl Solutions in the Analytical Ultracentrifuge 817

S. F. RUSSO and R. G. ENGEL: Application of Thin Film Dialysis to the Determination of Equilibrium Constants 837

D. A. D. PARRY and A. S. CRAIG: Collagen Fibrils and Elastic Fibers in Rat-Tail Tendon: An Electron Microscopic Investigation 843

N. P. JOHNSON and E. SWITKES: Empirical Calculations of Dinucleotide Optical Activity 857

J. L. BUTOUR, E. DELAIN, D. COULAUD, J. B. LE PECQ, J. BARBET, and B. P. ROQUES: Measurement of the Expected DNA Lengthening Caused by Mono- and Bisintercalating Drugs Using Electron Microscopy 873

K. RAKSÁNYI, I. FÖLDVÁRI, J. FIDY, and L. KITTLER: The Electronic Structure of Cytosine, 5-Azacytosine, and 6-Azacytosine 887

M. DENTINI, G. PERRETTI, M. SAVINO, P. DE SANTIS, and A. S. VERDINI: Conformational Studies on the Pyridoxal Schiff Bases of Polypeptides 897

M. DENTINI, M. SAVINO, P. DE SANTIS, and A. S. VERDINI: Conformational Studies on Cu(II) Polycomplexes of Pyridoxal Schiff Bases of Polypeptides 909

R. E. HARRINGTON: Opticohydrodynamic Properties of High-Molecular-Weight DNA. III. The Effects of NaCl Concentration 919

Y. NAKATA, T. AKAIKE, and S. INOUE: Conformation of Amino Acid Residue Contiguous to Helical Polypeptide 937

M. SYVANEN and H. K. SCHACHMAN: Donnan Effect as Measured by Sedimentation Equilibrium for the Protein Cytochrome c 943

C. C. CHIPEV and D. Z. STAYNOV: Helix-Coil Transitions in Nucleoprotein: Computer-Generated Curves for Independent Melting of Double-Stranded Regions with Fixed Ends 957

W. M. SCOVELL: Structural and Conformational Studies of Polyriboadenylic Acid in Neutral and Acid Solution 969

M. KODAMA, H. NODA, and T. KAMATA: Conformation of Amylose in Water. I. Light-Scattering and Sedimentation-Equilibrium Measurements 985

M. PALUMBO, A. COSANI, M. TERBOJEVICH, C. BENVEGNU', and E. PEGGION: Metal Complexes of Poly(α-amino Acids): Cu(II) Chelates of Acetoacetylated Poly(L-lysine), Poly(L-ornithine), and Poly(L-diaminobutyric Acid) 1003

W. K. OLSON: Spatial Configuration of Ordered Polynucleotide Chains. V. Conformational Energy Estimates of Helical Structure 1015

S-C. LIN, W. I. LEE, and J. M. SCHURR: Brownian Motion of Highly Charged Poly(L-lysine). Effects of Salt and Polyion Concentration 1041

C. MARCK, C. SCHNEIDER, and L. BREHAMET: Vectorial Interpretation of Spectra for the Study of Associations 1065

A. K. THAKUR and C. DELISI: Theory of Ligand Binding to Heterogeneous Receptor Populations: Characterization of the Free-Energy Distribution Function 1075

H. B. BULL, K. BREESE, and C. A. SWENSON: Solubilities of Amino Acids 1091

ERRATUM

M. T. RECORD, JR. and T. M. LOHMAN: A Semiempirical Extension of Polyelectrolyte Theory to the Treatment of Oligoelectrolytes: Application to Oligonucleotide Helix-Coil Transitions 1101

ISSUE NO. 5, MAY

YU. P. BLAGOI, V. A. SOROKIN, V. A. VALEYEV, S. A. KHOMENKO, and G. O. GLADCHENKO: Magnesium Ion Effect on the Helix-Coil Transition of DNA . 1103

G. KARWOSKI, M. GALIONE, and B. STARCHER: Lysinonorleucine Cross-Link Formation in Alpha Amino Heptenoic Acid-Substituted Peptide Derivatives . 1119

M. PTAK, A. HEITZ, and M. DREUX: ^{1}H and ^{13}C NMR Studies of Cyclic and Linear Dipeptides Containing Threonyl, Seryl, Aspartyl, and Histidyl Residues 1129

M. T. CUNG, M. MARRAUD, J. NEEL, and A. AUBRY: Experimental Study on Aggregation of Model Dipeptide Molecules. V. Stereoselective Association of Leucine Dipeptides 1149

A. E. TONELLI: The Solution Conformation of Malformin A 1175

R. TEWARI and S. S. DANYLUK: Configurational Effects on Conformational Properties of Cyclic Nucleotides. I. Theoretical Calculations of Conformer Preferences in α-Nucleoside 3′,5′ Cyclic Monophosphates 1181

YU. A. LAZAREV, A. V. LAZAREVA, V. A. SHIBNEV, and N. G. ESIPOVA: Infrared Spectra and Structure of Synthetic Polytripeptides 1197

YU. A. LAZAREV, V. M. LOBACHOV, B. A. GRISHKOVSKI, V. A. SHIBNEV, V. S. GRECHISHKO, M. P. FINOGENOVA, N. G. ESIPOVA, and V. N. ROGULENKOVA: Formation of the Collagen-Like Triple-Helical Structure in Oligopeptides During Elongation of the Molecular Chain 1215

R. W. WILSON and J. A. SCHELLMAN: The Flow Linear Dichroism of DNA: Comparison with the Bead-Spring Theory 1235

A. SCHMITT, J. P. MEULLENET, and R. VAROQUI: Relaxation and Electrophoretic Effects in Polyelectrolyte Solutions. II. Polyelectrolyte-plus-Salt Solutions . 1249

E. FREIRE and R. L. BILTONEN: Thermodynamics of Transfer Ribonucleic Acids: The Effect of Sodium on the Thermal Unfolding of Yeast $tRNA^{Phe}$ 1257

N. OCKMAN: The Antibody–Antigen Interaction at an Aqueous–Solid Interface: A Study by Means of Polarized Infrared ATR Spectroscopy 1273

R. LINDEMANN and G. ZUNDEL: Proton Transfer in and Polarizability of Hydrogen Bonds Coupled with Conformational Changes in Proteins. II. IR Investigation of Polyhistidine with Various Carboxylic Acids 1285

J. A. SCHELLMAN: Solvent Denaturation 1305

J. W. PARK and B. CHAKRABARTI: Optical Properties and Viscosity of Hyaluronic Acid in Mixed Solvents: Evidence of Conformational Transition 1323

R. SAVOIE, H. KLUMP, and W. L. PETICOLAS: A Raman and Calorimetric Investigation of 3′,5′-GpG 1335

L. CHINSKY, P. Y. TURPIN, M. DUQUESNE, and J. BRAHMS: Nucleic Acid Derivatives Studied by Preresonance and Resonance Raman Spectroscopy in the Ultraviolet Region 1347

B. M. BAKER, J. VANDERKOOI, and N. R. KALLENBACH: Base Stacking in a Fluorescent Dinucleoside Monophosphate: ϵApϵA 1361

N. GŌ: Shape of the Conformational Energy Surface near the Global Minimum and Low-Frequency Vibrations in the Native Conformation of Globular Proteins . 1373

COMMUNICATIONS TO THE EDITOR

D. S. CLARK, J. J. DECHTER, and L. MANDELKERN: Heat Precipitation of Poly-(γ-Hydroxy-L-Proline) 1381

C. DELISI: Characterization of Receptor Affinity Heterogeneity by Scatchard Plots 1385

ISSUE NO. 6, JUNE

K. E. VAN HOLDE and W. O. WEISCHET: Boundary Analysis of Sedimentation-Velocity Experiments with Monodisperse and Paucidisperse Solutes 1387

Y. SUGAWARA, I. HARADA, H. MATSUURA, and T. SHIMANOUCHI: Preresonance Raman Studies of Poly(L-Lysine), Poly(L-Glutamic Acid), and Deuterated *N*-Methylacetamides 1405

M. GABRIEL, D. LARCHER, C. THIRION, J. TORREILLES, and A. C. DE PAULET: Self-Association Phenomenon Specific to the Copper Complexes with ADP, dADP, and IDP 1423

D. G. LEWIS and W. C. JOHNSON, JR.: Optical Properties of Sugars. VI. Circular Dichroism of Amylose and Glucose Oligomers 1439

R. W. WOODY: Aromatic Side-Chain Contributions to the Far Ultraviolet Circular Dichroism of Peptides and Proteins 1451

A. KINDELIS and S. AKTIPIS: Differences in Circular Dichroism and Fluorescence between the DNA Complexes Formed with 3-Amino- and 3,8-Diaminophenanthridinium Derivatives 1469

S. BROYDE, R. M. WARTELL, S. D. STELLMAN, and B. HINGERTY: Minimum Energy Conformations of DNA Dimeric Subunits: Potential Energy Calculations for dGpdC, dApdA, dCpdC, dGpdG, and dTpdT 1485

M. SAKAMOTO, R. HAYAKAWA, and Y. WADA: Dielectric Relaxation of DNA Solutions. II 1507

I. R. MILLER, M. TEUBER, and Y. ACCAD: Competition Between Native and Monoacetylated Polymyxin for Charged Adsorption Sites 1513

A. PADVA, S. PENG, J. LIN, M. SHAHBAZ, and P. R. LEBRETON: Ultraviolet Photoelectron Studies of 5-Halouracils 1523

Y. UEDA, H. TAKETOMI, and N. GŌ: Studies on Protein Folding, Unfolding, and Fluctuations by Computer Simulation. II. A Three-Dimensional Lattice Model of Lysozyme 1531

M. KAWAI and U. NAGAI: Comparison of Conformation and Antimicrobial Activity of Synthetic Analogs of Gramicidin S: Stereochemical Consideration of the Role of D-Phenylalanine in the Antibiotic 1549

T. W. BARRETT: Linear Dichroism and Radial Flow Birefringence of Stream-Oriented Hyaluronate Solutions as a Function of System pH 1567

C. R. JONES, C. S. JOHNSON, JR., and J. T. PENNISTON: Photon Correlation Spectroscopy of Hemoglobin: Diffusion of Oxy-HbA and Oxy-HbS 1581

ISSUE NO. 7, JULY

COMMUNICATIONS TO THE EDITOR

A. R. SRINIVASAN and N. YATHINDRA: The Conformational Wheel—A Circular Plot for Correlating the Primary and Secondary Structure of a Linear Polymer with the Conformational Angles of its Individual Residues 1595

V. MADISON: Conformational Calculations for Oligopeptides. A Cyclic Dodecapeptide 1601

J. GARCIA DE LA TORRE and V. A. BLOOMFIELD: Hydrodynamic Properties of Macromolecular Complexes. IV. Intrinsic Viscosity Theory, with Applications to Once-Broken Rods and Multisubunit Proteins 1605

E. CHARNEY and J. B. MILSTIEN: Electric Dichroism of Poly(riboadenylic Acid) 1629

W. J. SPETNAGEL and I. M. KLOTZ: Oxidation of Dihydronicotinamide Adenine Dinucleotide by a Flavin Derivative of Polyethylenimine 1657

T. Y. TSONG and R. L. BALDWIN: Effects of Solvent Viscosity and Different Guanidine Salts on the Kinetics of Ribonuclease A Chain Folding 1669

H. J. GOREN, T. FLETCHER, M. FRIDKIN, and E. KATCHALSKI-KATZIR: Poly(L-Histidyl-L-Alanyl-α-L-Glutamic Acid). II. Catalysis of *p*-Nitrophenyl Acetate Hydrolysis 1679

A. AUBRY, J. PROTAS, G. BOUSSARD, M. MARRAUD, and J. NEEL: Experimental Conformational Study of Two Peptides Containing α-Aminoisobutyric Acid. Crystal Structure of *N*-Acetyl-α-Aminoisobutyric Acid Methylamide 1693

C. TONIOLO, G. M. BONORA, M. PALUMBO, E. PEGGION, and E. S. STEVENS: Linear Oligopeptides. XLIII. Study of the Relationship Between Conformation and Nature of Side Chain: Homologous Series Derived from γ-Branched Amino Acid Residues 1713

G. D. FASMAN, K. ITOH, C. S. LIU, and R. C. LORD: Laser-Excited Raman Spectroscopy of Biomolecules. XII. Thermally Induced Conformational Changes in Poly(L-Glutamic Acid) 1729

H. VOTOVOVÁ, K. BLÁHA, and J. ŠPONAR: Model Nucleoproteins: Binding of Actinomycin D to Complexes of DNA with Lysine-Containing Polypeptides .. 1747

J. A. DE FEIJTER, J. BENJAMINS, and F. A. VEER: Ellipsometry as a Tool to Study the Adsorption Behavior of Synthetic and Biopolymers at the Air–Water Interface 1759

T. W. STURGILL, R. E. JOHNSON, and R. L. BILTONEN: Thermal Perturbation Techniques in Characterizing Ligand–Macromolecule Interactions: Theory and Application to the Proflavin-α-Chymotrypsin System 1773

T. W. STURGILL: Thermodynamic Characterization of Ethidium Bromide Binding to a Unique Site on Yeast $tRNA^{Phe}$ 1793

COMMUNICATIONS TO THE EDITOR

R. W. WILSON: The Dichroic Tensor of Flexible Helices in a Magnetic Field 1811

C. E. CREUTZ: Maximum Number and Lengths of Palindromes in Messenger RNAs 1815

H. NISHIRA and H. ASAI: A Double-Cell Method for Direct Measurement of Small Differences in Transient Electric Birefringence of Two Solutions 1821

ISSUE NO. 8, AUGUST

S. ST. PIERRE, R. T. INGWALL, M. S. VERLANDER, and M. GOODMAN: Synthesis of Sequential Polypeptides Containing Lysine and Tyrosine 1827

S. ST. PIERRE, R. T. INGWALL, M. S. VERLANDER, and M. GOODMAN: Conformational Studies of Sequential Polypeptides Containing Lysine and Tyrosine ... 1837

S. S. ZIMMERMAN and H. A. SCHERAGA: Influence of Local Interactions on Protein Structure. II. Conformational Energy Studies of *N*-Acetyl-*N'*-Methylamides of Ala-X and X-Ala Dipeptides 1849

S. S. ZIMMERMAN and H. A. SCHERAGA: Influence of Local Interactions on Protein Structure. III. Conformational Energy Studies of *N*-Acetyl-*N'*-Methylamides of Gly-X and X-Gly Dipeptides 1871

S. S. ZIMMERMAN and H. A. SCHERAGA: Influence of Local Interactions on Protein Structure. IV. Conformational Energy Studies of *N*-Acetyl-*N'*-Methylamides of Ser-X and X-Ser Dipeptides 1885

H. E. AUER, B. E. PAWLOWSKI-KONOPNICKI, Y-C. CHEN CHIAO, and T. R. KRUGH: Resolution of Electronic Absorption Bands and Nucleotide Binding Processes in Actinomycin D 1891

E. R. ANDREW, R. GASPAR, JR., and W. VENNART: Proton Magnetic Relaxation in Solid Poly(L-Alanine), Poly(L-Leucine), Poly(L-Valine), and Polyglycine .. 1913

J. RIVIER, R. KAISER, and R. GALYEAN: Solid-Phase Synthesis of Somatostatin and Glucagon-Selective Analogs in Gram Quantities 1927

M. LE BRET: Relationship Between the Energy of Superhelix Formation, the Shear Modulus, and the Torsional Brownian Motion of DNA 1939

P. B. RAO and W. P. BRYAN: Measurement of the Strongly Held Water of Myoglobin by Drying 1957

A. E. TONELLI, D. J. PATEL, T. WIELAND, and H. FAULSTICH: The Structure of α-Amanitin in Dimethylsulfoxide Solution 1973

J. B. WELCH, III and V. A. BLOOMFIELD: Thermodynamics of the Slow–Fast Transition in Bacteriophage T2L 1987

J. B. WELCH, III and V. A. BLOOMFIELD: Concentration-Dependent Isomerization of Bacteriophage T2L 2001

G. J. BARAN and V. A. BLOOMFIELD: Tail-Fiber Attachment in Bacteriophage T4D Studied by Quasielastic Light Scattering–Band Electrophoresis 2015

COMMUNICATIONS TO THE EDITOR

P. SPADON, A. S. VERDINI, and A. DEL PRA: Determination of the Solid State Conformation of Poly[N^5-(2-Hydroxyethyl)-L-Glutamine] from X-Ray Diffraction 2029

G. VON HEIJNE and C. BLOMBERG: Some Global β-Sheet Characteristics 2033

P. NIEUWENHUYSEN and J. CLAUWAERT: Photon Correlation Spectroscopy of MS2-Virus 2039

V. VLACHY and S. LAPANJE: Gibbs Free Energy of Transfer of a Protein from Water to Aqueous Denaturant Solutions 2041

ERRATUM

C. TOSI, E. CLEMENTI, and O. MATSUOKA: Conformational Studies on Polynucleotide Chains. III. Intramolecular Energy Maps and Comparison with Experiments . 2045

ISSUE NO. 9, SEPTEMBER

A. C. I. ANUSIEM and M. KELLEHER: Spin Contribution to the Thermodynamics of Ligand Binding to Methemoglobins and Metmyoglobins. I. Azide Ion Binding to Horse-Heart Myoglobin 2047

D. L. VIZARD: Study of DNA Sequence Supraorganization by Intermolecular Renaturation 2057

S. PÉREZ and F. BRISSE: Conformational Features of Oligocellulose Acetates in the Solid State and Their Implications for the Structures of Cellulose Triacetate . 2083

S. K. BRAHMACHARI, V. S. ANANTHANARAYANAN, R. S. RAPAKA, and R. S. BHATNAGAR: Polypeptide Models of Collagen. II. Solution Properties of $(Pro\text{-}Gly\text{-}Phe)_n$ 2097

M. S. HERRMANN, C. E. RICHARDSON, L. M. SETZLER, W. D. BEHNKE, and R. E. THOMPSON: A Circular Dichroic Investigation of the Secondary Structure of Lectins 2107

H. B. BULL and K. BREESE: Interaction of Alcohols with Proteins 2121

R. RICHARZ and K. WÜTHRICH: Carbon-13 NMR Chemical Shifts of the Common Amino Acid Residues Measured in Aqueous Solutions of the Linear Tetrapeptides H-Gly-Gly-X-L-Ala-OH 2133

P. THIYAGARAJAN and P. K. PONNUSWAMY: Conformational Characteristics of the RNA Subunit ApA from Energy Minimization Studies 2143

K. YAMANAKA, H. NAKAJIMA, and Y. WADA: Kinetic Study of Denaturation and Subsequent Reduction of Disulfide Bonds of Lysozyme by the Rapid Ultrasonic Absorption Measurement 2159

B. RAMANATHAN and K. S. SCHMITZ: A Quantitative Analysis of Excluded-Site Effects For Highly Cooperative Binding Systems 2171

J. M. BECKER and F. NAIDER: The Effect of Homologous Amino Acid Replacement on the Conformation of Oligopeptides. I. Synthesis of Co-Oligopeptides Containing Methionine and Valine 2189

J. CHAMPI, A. S. STEINFELD, F. NAIDER, and J. M. BECKER: The Effect of Homologous Amino Acid Replacement on the Conformation of Oligopeptides. II. Synthesis of Co-Oligopeptides Containing Methionine and Glycine 2199

F. NAIDER, J. M. BECKER, A. RIBEIRO, and M. GOODMAN: The Effect of Homologous Amino Acid Replacement on the Conformation of Oligopeptides. III. CD Studies on Co-Oligopeptides of Methionine and Valine or Methionine and Glycine in Organic Solution 2213

M. H. BARON, C. DE LOZE, C. TONIOLO, and G. D. FASMAN: Structure in Solution of Protected Homo-Oligopeptides of L-Valine, L-Isoleucine, and L-Phenylalanine: An Infrared Absorption Study 2225

R. D. CAMERINI-OTERO and L. A. DAY: The Wavelength Dependence of the Turbidity of Solutions of Macromolecules 2241

R. VIRUDACHALAM and V. S. R. RAO: Theoretical Studies on Peptidoglycans. I. Effect of L-Alanyl, D-Butyl, or D-Valyl Residues at the Positions 4 or 5 of the Pentapeptide Moiety of Peptidoglycan on the Cross-Linking Reaction 2251

J. KOBAYASHI and U. NAGAI: A Solvent Effect on the Side-Chain Conformation of Phenylalanine Derivatives and Phenylalanine Residues in Dipeptides 2265

COMMUNICATIONS TO THE EDITOR

A. SUROWIEC: Determination of Dielectric Properties of a High-Molecular-Weight DNA 2279

P. D. ROSS, R. W. BRIEHL, and A. P. MINTON: Temperature Dependence of Non-ideality in Concentrated Solutions of Hemoglobin 2285

ERRATUM

B. M. FUNG, R. A. HILLSON, G. G. LEE, A. W. NUNNERY, and R. H. BRAFORD, JR.: Interaction Between Collagen and Adenosine-5′-Triphosphate 2289

ISSUE NO. 10, OCTOBER

H. NAKAJIMA and Y. WADA: A General Method for the Evaluation of Diffusion Constants, Dilute-Solution Viscoelasticity, and the Complex Dielectric Constant of a Rigid Macromolecule with an Arbitary Configuration. II 2291

M. FENTON and A. HILTNER: Interaction of Water with Poly-α-Amino Acids. II. Relationships Between Counter-Ion and Relaxation Processes 2309

J. F. BARET, G. P. CARBONE, and P. PENON: Infrared Dichroism of Polynucleotides of Repeated Sequence. I. Poly(dA)-Poly(dT) and Poly[d(A-T)]-Poly[d(A-T)] 2319

R. L. ORNSTEIN, R. REIN, D. L. BREEN, and R. D. MACELROY: An Optimized Potential Function for the Calculation of Nucleic Acid Interaction Energies. I. Base Stacking 2341

B. F. CHUMPITAZI-HERMOZA, D. GAGNAIRE, et F. R. TARAVEL: Biosynthèse de Cellulose Bactérienne à Partir de Glycérol Sélectivement Deutérié en Position 1, 2, ou 3: Etude par Résonance Magnétique Nucléaire 2361

R. P. MCINTOSH and P. JOHNSON: Fluorescence Depolarization Studies of Conformation Changes in Pyrene-Butyryl–Fumarase 2373

R. BONI, A. S. VERDINI, C. M. DEBER, and E. R. BLOUT: Synthesis and Circular Dichroism Characterization of L-Azetidine-2-Carboxylic Acid Cyclic Peptides 2385

J.-P. MERALDI, E. R. BLOUT, R. BONI, and A. S. VERDINI: Solution Conformations of Some Azetidine Cyclic Peptides 2401

N. FIGUEROA and B. CHAKRABARTI: Circular Dichroism Studies of Copper(II)–Hyaluronic Acid Complex in Relation to Conformation of the Polymer 2415

W. E. HULL, H. R. KRICHELDORF, and M. FEHRLE: ^{15}N-NMR Spectroscopy. IV. Comparison of Poly(L-Lysine) and Isopoly(L-Lysine) 2427

H. E. BLEICH and J. A. GLASEL: Rotating Frame Spin-Lattice Relaxation Experiments and the Problem of Intramolecular Motions of Peptides in Solution ... 2445

M. LECLERC, S. PRÉMILAT, and A. ENGLERT: Nonradiative Energy Transfer in Oligopeptide Chains Generated by a Monte-Carlo Method Including Long-Range Interactions 2459

P. C. PAINTER and M. M. COLEMAN: An Analysis of the Amide I Mode in the Vibrational Spectra of Unordered Polypeptides and Proteins 2475

K. YAMAOKA and M. MASUHMA: Spectroscopic and Equilibrium Dialysis Studies

of the Binding of Acridine and 10-Methylacridine to DNA in the pH Range 4–10 2485

P. K. PONNUSWAMY and P. THIYAGARAJAN: Solvent Accessibilities in the Dimeric Subunits of RNA and DNA 2503

COMMUNICATIONS TO THE EDITOR

A. COSANI, M. PALUMBO, M. TERBOJEVICH, and E. PEGGION: *N*-Methyl Poly(α-Amino Acids). Synthesis and Preliminary Conformational Analysis of Poly(*N*-Methyl-γ-Methyl-L-Glutamate) 2519

V. K. SRIVASTAVA, G. P. SRIVASTAVA, and V. P. SRIVASTAVA: Nonaqueous Solutions of DNA: A Dilatometric Study 2523

ISSUE NO. 11, NOVEMBER

B. FILIPPI, G. BORIN, U. ANSELMI, and F. MARCHIORI: Conformational Properties of the N-Terminal Residues of S-Peptide. I. The Ribonuclease S′ System .. 2525

B. FILIPPI, G. BORIN, V. MORETTO, and F. MARCHIORI: Conformational Properties of the N-Terminal Residues of S-Peptide. II. The Guanidine Hydrochloride–Water–Trifluoroethanol System 2545

Y. HASHIMOTO, Y. IMANISHI, and T. HIGASHIMURA: Solvent Effect in the Stereoselective Polymerization of α-Amino Acid *N*-Carboxyanhydride and Some Considerations on the Mechanism of Stereoregulation 2561

A. PELLEGRINI and P. L. LUISI: Pepsin-Catalyzed Peptide Synthesis 2573

T. J. KISTENMACHER, M. ROSSI, and L. G. MARZILLI: A Model for the Interrelationship Between Asymmetric Interbase Hydrogen Bonding and Base–Base Stacking in Hemiprotonated Polyribocytidylic Acid: Crystal Structure of 1-Methylcytosine Hemihydroiodide Hemihydrate 2581

H. SAITÔ, T. OHKI, M. KODAMA, and C. NAGATA: ^{13}C Nuclear Magnetic Resonance Study of Salt-Induced Conformational Change of Basic Polypeptides: Poly(L-Lysine), Poly(L-Arginine), and Poly(L-Ornithine) 2587

R. E. HURST: Thermodynamics of the Partition of Chondroitin Sulfate–Hexadecylpyridinium Complexes in Butanol/Aqueous Salt Biphasic Solutions 2601

F. A. MOMANY and J. R. AUBUCHON: Conformational Energy Analysis of Retro-All-D-Methionine Enkephalin 2609

R. C. JORDAN, D. A. BRANT, and A. CESÀRO: A Monte Carlo Study of the Amylosic Chain Conformation 2617

T. HIRAI and E. HAMORI: Comparison of the Helix–Coil Conformational Changes of Poly(Deoxyguanylate-Deoxycytidylate) and Poly(Deoxyadenylate-Deoxythymidylate) Induced by Variations of Hydrogen-Ion Concentration 2633

A. PATKOWSKI, S. JEN, and B. CHU: Intensity-Fluctuation Spectroscopy and tRNA Conformation. II. Changes of Size and Shape of tRNA in the Melting Process 2643

M. RINAUDO and M. MILAS: Polyelectrolyte Behavior of a Bacterial Polysaccharide from *Xanthomonas campestris:* Comparison with Carboxymethylcellulose .. 2663

R. L. FLURRY, JR., S. F. ABDULNUR, and J. M. BOPP, JR: Studies of the Thyrotropin-Releasing Factor. II. Conformations of TRF and Some Analogs 2679

W. BOONTJE, J. GREVE, and J. BLOK: Transient Electric Birefringence of T-Even Bacteriophages. IV. T2L0 and T6 with Extended Tail Fibers 2689

D. JONES, G. DISTEFANO, C. TONIOLO, and G. M. BONORA: A New Method for Determining Sulfoxides in Peptide Molecules Using X-Ray Photoelectron Spectroscopy 2703

S. SASAKI, M. MIYAMOTO, T. NAKAMURA, and I. UEMATSU: Solid-State Modifications of Poly(γ-Ethyl-L-Glutamate) 2715

A. DEMARCO, M. LLINÁS, and K. WÜTHRICH: ^{1}H-^{15}N Spin–Spin Couplings in Alumichrome 2727

COMMUNICATIONS TO THE EDITOR

E. G. BENDIT and J. M. GILLESPIE: The Probable Role and Location of High-Glycine-Tyrosine Proteins in the Structure of Keratins 2743

C.-H. NIU, V. MADISON, L. G. PEASE, and E. R. BLOUT: Cyclic Peptides. XXII. Cation Binding by a Cyclic Hexapeptide: Cyclo(D-Ala-Pro-Gly)$_2$ 2747

J. C. THOMAS and G. C. FLETCHER: Rotational Decay Constant of Tobacco Mosaic Virus by Depolarized Photon-Correlation Spectroscopy 2753

S. SHINKAI, R. ANDO, and T. KUNITAKE: Facile Oxidation of Nitroethane Carbanion by a Flavin Immobilized in Cationic Polymers 2757

ISSUE NO. 12, DECEMBER

Y-Y. H. CHAO and R. BERSOHN: ^{13}C- and ^{1}H-NMR Studies of *cis-trans* Conformers of Oligoprolines 2761

S. ICHIMURA, K. MITA, and M. ZAMA: Conformation of Poly(L-Arginine). I. Effects of Anions 2769

K. MITA, S. ICHIMURA, and M. ZAMA: Conformation of Poly(L-Arginine). II. Complexes with Polyanions 2783

M. H. PINERI, M. ESCOUBES, and G. ROCHE: Water–Collagen Interactions: Calorimetric and Mechanical Experiments 2799

W. R. SHARMAN, E. L. RICHARDS, and G. N. MALCOLM: Hydrodynamic Properties of Aqueous Solutions of Galactomannans 2817

W. SEDEREL, S. DESHMANE, T. HAYASHI, and J. M. ANDERSON: The Random Copolymerization of γ-Benzyl-L-Glutamate and L-Valine *N*-Carboxyanhydrides: Reactivity Ratio and Hererogeneity Studies 2835

S. DESHMANE, T. HAYASHI, W. SEDEREL, and J. M. ANDERSON: The Influence of Interchain Compositional Heterogeneity on the Conformation in Random Copolymers of γ-Benzyl-L-Glutamate and L-Valine 2851

C. DELCROIX, F. R. L. CANTRAINE, and N. HARDT: Mathematical Method for Determining the Distribution of Substituted DNA Zone Lengths with Reference to Equilibrium Density Profiles 2865

R. C. JORDAN and D. A. BRANT: An Investigation of Pectin and Pectic Acid in Dilute Aqueous Solution 2885

D. B. SIANO: Light Scattering During the Hysteresis Effect in Poly(A)·2Poly(U) . 2897

O. W. ODOM, B. B. CRAIG, and B. A. HARDESTY: The Conformation of the Anticodon Loop of Yeast $tRNA^{Phe}$ in Solution and on Ribosomes 2909

COMMUNICATIONS TO THE EDITOR

B. Y. TONG and S. J. BATTERSBY: Melting Fine Structure of ϕX174 DNA and Its Fragments: A Theoretical Study 2933

W. D. FULLER, M. S. VERLANDER, and M. GOODMAN: DOPA-Containing Polypeptides. I. Improved Synthesis of High-Molecular-Weight Poly(L-DOPA) and Water-Soluble Copolypeptides 2939

Author Index 2945

Subject Index 2957

Volume Contents iii

ISSUE NO. 12, DECEMBER